Volume 89-B 2007 Indices

THE JOURNAL OF BONE AND JOINT SURGERY

Editor: James Scott

Published in London by the British Editorial Society of Bone and Joint Surgery
American Volume published at 20 Pickering Street, Needham, Massachusetts

THE JOURNAL OF BONE AND JOINT SURGERY

BRITISH VOLUME

British Editor JAMES SCOTT

Editor Emeritus FRANK HORAN

British Editorial Board
Robert Dickson, *Chairman*
Neil Thomas, *Treasurer*
Robert Marshall, *Secretary*
James Scott, *Editor*
Frank Horan, *Editor Emeritus*
Richard Villar, *Assistant Editor*
Andrew J. Carr, *Associate Editor*
John Fixsen, *Associate Editor*
David Jones, *Associate Editor*
David L. Limb, *Associate Editor for Education*
Andrew W. McCaskie, *Associate Editor*
Alistair Ross, *Associate Editor*
Gareth Scott, *Associate Editor*
Neil Rushton, *Deputy Editor for Research*
Emeritus
Leslie Klenerman, *Associate Editor Emeritus*
Michael Laurence, *Associate Editor Emeritus*
Stephen R. Cannon, *President, BOA ex-officio*
Nicola Maffulli, *Editorial Secretary, BOA*
George Bentley, London, England (EFORT)
Anthony Catterall, London, England
Charles Court-Brown, Edinburgh, Scotland
Cy Frank, Calgary, Canada
Peter Giannoudis, Leeds, England
S. Govender, Congella, South Africa
Robert Grimer, Birmingham, England
Alexander Hadjipavlou, Crete, Greece
Joe W. M. Harper, Leicester, England
Robert Hawkins, Vancouver, Canada
David Hunt, London, England
Ivan Hvid, Aarhus, Denmark (EORS)
Gregory Janes, Perth, Australia
Roger Lemaire, Liège, Belgium
David Morgan, Brisbane, Australia
Rémy Nizard, Paris, France
Mark Paterson, London, England
Andrew Robinson, Cambridge, England
Brigitte Scammell, Nottingham, England (BORS)
Susan Stott, Auckland, New Zealand
David Warwick, Southampton, England
Andrew Williams, London, England
Johan Witt, London, England

British Council of Management
Robert Dickson, *Chairman*
Neil Thomas, *Treasurer*
Robert Marshall, *Secretary*
Anthony Catterall
Stephen R. Cannon, *President, BOA ex-officio*

British Office
22 Buckingham Street, London WC2N 6ET, England
General Manager: Stephen Bishop
Editorial Production Manager: Emma Vodden
Circulation Manager: Michael Searle

Official Publication of

British Orthopaedic Association
Stephen R. Cannon, *President*
Peter Kay, *Hon Secretary*
Royal College of Surgeons, 35-43 Lincoln's Inn Fields, London WC2A 3PN

Australian Orthopaedic Association
John Harris, *President*
John B. North, *Hon. Secretary*
Ground Floor, The William Bland Centre, 229 Macquarie Street, Sydney, NSW 2000

Canadian Orthopaedic Association
B. D. Lewis, *President*
Bassam A. Masri, *Secretary*
4150 Ste Catherine St. W., Suite 360, Westmount, Quebec H3Z 2Y5

Canadian Orthopaedic Research Society
Erin L. Boynton, *President*
Nadr M. Jomha, *Secretary*
1440 St Catherine West, Suite 718, Montreal, Quebec H3G 1R8

New Zealand Orthopaedic Association
John Matheson, *President*
Mark Wright, *Hon. Secretary*
PO Box 7451, Wellington South

South African Orthopaedic Association
D. F. du Poen Louw, *President*
S. Colyn, *Hon. Secretary*
PO Box 12918, Brandhof 9324

Irish Orthopaedic Association
Frank Dowling, *President*
Richard Wallace, *Secretary*
Cappagh Orthopaedic Hospital, Finglass, Dublin 11

European Federation of National Associations of Orthopaedics and Traumatology – EFORT
Wolfhart Puhl, *President*
Technoparkstrasse 1, CH-8005 Zurich, Switzerland

British Orthopaedic Research Society
Bruce Caterson, *President*
Carlos Wigderowitz, *Secretary*
Division of Surgery and Oncology, Section of Orthopaedic and Trauma Surgery, Ninewells Hospital and Medical School, Tort Centre, Dundee DD1 9SY

European Orthopaedic Research Society
Nico Verdonschot, *President*
Florian Gottsauner-Wolf, *Secretary*
Karin Knob, Gesellschaftssekretariat, Wiener Medizinische Akademie für ärztliche Fortbildung und Forshung, Vienna Academy of Postgraduate Medical Education and Research, Alser Straße 4, I.Hof, DION, A-1090 Wien

AMERICAN VOLUME

American Editor JAMES D. HECKMAN

Editor Emeritus HENRY R. COWELL

Deputy Editors Emeritus for Research ALBERT H. BURSTEIN, LAWRENCE C. ROSENBERG

American Editorial Board
Robert W. Bucholz, *Deputy Editor for Adult Reconstructive Surgery and Trauma*
Charles R. Clark, *Deputy Editor for Adult Reconstruction*
Thomas A. Einhorn, *Deputy Editor for Current Concepts Reviews*
Vernon T. Tolo, *Deputy Editor for Pediatric Orthopaedics*
Vincent D. Pellegrini Jr, *Deputy Editor for Surgical Techniques*
Robert Poss, *Deputy Editor for Electronic Media*
Dempsey S. Springfield, *Deputy Editor for Instructional Course Lectures*
Paul Tornetta III, *Deputy Editor for AOA Publications*
Robin R. Richards, *Deputy Editor for the Upper Extremity*
Peter Stern, *Deputy Editor for the Upper Extremity*
Marc E. Swiontkowski, *Deputy Editor for Outcome Studies and Trauma*
Bertram Zarins, *Consulting Editor for Sports Medicine*
James G. Wright, *Associate Editor for Evidence-Based Orthopaedics*
James D. Capozzi, *Coordinator of Ethics in Practice*
Brent Graham, *Deputy Editor for Methodology and Biostatistics*
Jeffrey N. Katz, *Deputy Editor for Methodology and Biostatistics*
Elena Losina, *Deputy Editor for Methodology and Biostatistics*
John G. Birch, Dallas, Texas
R. Dale Blasier, Little Rock, Arkansas
Martin I. Boyer, St. Louis, Missouri
Edward Y. Cheng, Minneapolis, Minnesota
Scott S. Kelley, Durham, North Carolina
Seth S. Leopold, Seattle, Washington
Bassam A. Masri, Vancouver, British Columbia
James P. McAuley, Alexandria, Virginia
Robert M. Szabo, Sacramento, California
Edward M. Wojtys, Ann Arbor, Michigan

Board of Consulting Editors for Research
Thomas W. Bauer, *Deputy Editor for Research*
Clare Rimnac, *Deputy Editor for Research*
H. Clarke Anderson, Kansas City, Kansas
Steven Arnoczky, East Lansing, Michagan
Scott Boden, Atlanta, Georgia
Thomas D. Brown, Iowa City, Iowa
Joseph A. Buckwalter, Iowa City, Iowa
Charles Cornell, New York, NY
Kathleen Derwin, Cleveland, Ohio
Joshua Jacobs, Chicago, Illinois
Michael Klein, Birmingham, Alabama
Harry A. McKellop, Los Angeles, California
Keith Markolf, Los Angeles, California
Edward McCarthy Jr., Baltimore, Maryland
John Mort, Montreal, Quebec, Canada
Javad Parvizi, Philadelphia, Pennsylvania
Terrance D. Peabody, Chicago, Illinois
Scott A. Rodeo, New York, NY

American Board of Trustees
Michael A. Simon, *Chairman*
Bernard A. Rineberg, *Vice Chairman*
Cecil H. Rorabeck, *Secretary*
James H. Herndon, *Treasurer*
James D. Heckman, *Editor*
Dan M. Spengler
Vernon T. Tolo
Edward N. Hanley Jr.
Stuart L. Weinstein

The American Orthopaedic Association
Peter Stern, *President*
6300 North River Road, Suite 505, Rosemont, Illinois 60018-4263

American Academy of Orthopaedic Surgeons
James H. Beaty, *President*
6300 North River Road, Rosemont, Illinois 60018-4262

Western Orthopaedic Association
Gerard L. Glancy, *President*
200 South Flower Street, Suite 200, Los Angeles, California 900027

Eastern Orthopaedic Association
Scott D. Boden, *President*
110 West Road, Suite 227, Towson, Maryland 21204

Mid-America Orthopaedic Association
Timothy C. Fitzgibbons, *President*
20 Second Avenue S.W., Rochester, Minnesota 55902

Author index

A

Aarvold A, Bann S, Giblin V, Wotherspoon A, Mudan SS. Osteosarcoma metastasising to the duodenum and pancreas (case report) 542–4

Abdel-Wanis ME *see* Tsuchiya H

Abe I *see* Hara Y

Abraham R *see* Mullett H

Abudu A *see* Grimer RJ; Jeys LM; Kalra S

Abudu AT *see* Myers GJC

Ackroyd CE, Newman JH, Evans R, Eldridge JDJ, Joslin CC. The Avon patellofemoral arthroplasty 310–15

Acosta-Rodriguez E *see* Ilizaliturri VM Jr

Adams JC. George Bonney (obituary) 1268–9

Agnelli G *see* Warwick D

Ahrens PM, Boileau P. The long head of biceps and associated tendinopathy 1001–9

Åkesson K *see* Gerdhem P

Akiyama H *see* Kawanabe K

Aksoy MC *see* Atilla B

Alberghini M *see* Bacci G

Albert C, Patil S, Frei H, Masri B, Duncan C, Oxland T, Fernlund G. Cement penetration and primary stability of the femoral component after impaction autografting 962–70

Albert J-D, Meadeb J, Guggenbuhl P, Marin F, Benkalfate T, Thomazeau H, Chalès G. High-energy extracorporeal shock-wave therapy for calcifying tendinitis of the rotator cuff 335–41

Alcantara-Martos T, Delgado-Martinez AD, Vega MV, Carrascal MT, Munuera-Martinez L. Effect of vitamin C on fracture healing in elderly Osteogenic Disorder Shionogi rats 402–7

Aldam CH *see* Anwar HA

Alexander FGM *see* van Haaren EH

Ali F *see* Bassi RS

Ali H *see* Atilla B

Al-Jibury M *see* Sandher DS

Alpasian M *see* Atilla B

Aminuddin BS *see* Munirah S

Amritanand R *see* Sundararaj GD

Anderson PG *see* Koëter S

Annear PO *see* Gohil S

Antonio GE *see* Wong KC

Anwar HA, Aldam CH, Visuvanathan S, Hart AJ. The effect of metal ions in solution on bacterial growth compared with wear particles from hip replacements 1655–9

Aono H, Ohwada T, Kaneko N, Fuji T, Iwasaki M. The post-operative changes in the level of inflammatory markers after posterior lumbar interbody fusion 1478–81

Archbold HAP *see* Molloy DO

Archbold P *see* McConway J

Arendt J *see* Bielecki TM

Argenson J-N *see* Flecher X

Arimitsu S, Murase T, Hashimoto J, Oka K, Sugamoto K, Yoshikawa H, Moritomo H. A three-dimensional quantitative analysis of carpal deformity in rheumatoid wrists 490–4

Arndt A *see* Itayem R

Arya AP, Kulshreshtha R, Kakarala GK, Singh R, Compson JP. Visualisation of the pisotriquetral joint through standard portals for arthroscopy of the wrist 202–5

Ashammakhi N *see* Bajada S

Ashby E *see* Haddad FS

Ashmore AM *see* Ramiah RD

Ashton BA *see* Bajada S

Ashwood N *see* Moonot P

Assadian O *see* Toma CD

Aston WJS *see* Hanna SA

Athanasou NA *see* Hand GCR

Athwal GS *see* Rispoli DM

Atilla B, Ali H, Aksoy MC, Caglar O, Tokgozoglu AM, Alpaslan M. Position of the acetabular component determines the fate of femoral head autografts in total hip replacement for acetabular dysplasia 874–8

Atkins RM. NICE work (editorial) 849–50

Aubaniac J-M *see* Flecher X

Auw Yang KG, Raijmakers NJH, Verbout AJ, Dhert WJA, Saris DBF. Validation of the short-form WOMAC function scale for the evaluation of osteoarthritis of the knee 50–6

Auyeung J, Doorgakant A, Shand JEG, Orr MM. An unusual cause of locking after total knee replacement (case report) 1249–52

B

Babu N *see* Sundararaj GD

Bacci G, Balladelli A, Forni C, Longhi QA, Serra M, Fabbri N, Alberghini M, Ferrari S, Benassi MS, Picci P. Ewing's sarcoma family tumours 1229–33

Back DL *see* Hing CB

Badaruddin BS *see* Howie DW

Bailey M *see* Hing CB

Bajada S, Harrison PE, Ashton BA, Cassar-Pullicino VN, Ashammakhi N, Richardson JB. Successful treatment of refractory tibial nonunion using calcium sulphate and bone marrow stromal cell implantation (case report) 1382–6

Baker PN, Khaw FM, Kirk LMG, Esler CNA, Gregg PJ. A randomised controlled trial of cemented *versus* cementless press-fit condylar total knee replacement 1608–14

Baker PN, van der Meulen JH, Lewsey J, Gregg PJ. The role of pain and function in determining patient satisfaction after total knee replacement 893–900

Balg F, Boileau P. The instability severity index score 1470–7

Balladelli A *see* Bacci G

Ballantyne JA *see* Ng CY

Bamford DJ *see* Chitre AR

Bann S *see* Aarvold A

Bannister GC *see* Khan A; Ramiah RD

Barakat MJ, While T, Pyman J, Gargan M, Monsell F. Bilateral hip reconstruction in severe whole-body cerebral palsy 1363–8

Barbier O *see* Delloye C

Barnett AJ, Gardner ROE, Lankester BJA, Wakeley CJ, Eldridge JDJ. Magnetic resonance imaging of the patella 761–5

Barsoum WK, Patterson RW, Higuera C, Klika AK, Krebs VE, Molloy R. A computer model of the position of the combined component in the prevention of impingement in total hip replacement 839–45

Bassi RS, Simmons D, Ali F, Nuttall D, Birch A, Trail IA, Stanley JK. Early results of the Acclaim elbow replacement 486–9

Bayer J *see* Quraishi NA

Beals RK *see* Sales JR

Beard DJ *see* Murray DW

Beard DJ, Pandit H, Gill HS, Hollinghurst D, Dodd CAF, Murray DW. The influence of the presence and severity of pre-existing patellofemoral degenerative changes on the outcome of the Oxford medial unicompartmental knee replacement 1597–601

Beard DJ, Pandit H, Ostlere S, Jenkins C, Dodd CAF, Murray DW. Pre-operative clinical and radiological assessment of the patellofemoral joint in unicompartmental knee replacement and its influence on outcome 1602–7

Beaulé PE *see* May O

Beaulé PE, Harvey N, Zaragoza E, Le Duff MJ, Dorey FJ. The femoral head/neck offset and hip resurfacing 9–15

Beaver RJ

Computer navigation *versus* conventional total knee replacement (correspondence) 1130–1

see also Spencer JM

Becker K *see* Bottner F

Bell K *see* Deehan DJ

Belt EA *see* Himanen A-K

Benassi MS *see* Bacci G

Benkalfate T *see* Albert J-D

Benoit B, Laflamme GY, Laflamme GH, Rouleau D, Delisle J, Morin B. Long-term outcome of surgically-treated habitual patellar dislocation in children with coexistent patella alta 1172–7

Bentley G *see* Biant LC

Berendes TD, Wolterbeek R, Pilot P, Verburg H, te Slaa RL. The open modified Bankart procedure 1064–8

Besselaar PP *see* van Geenen RCI

Beverland D *see* McConway J

Beverland DE *see* Hanratty BM; Molloy DO

Beverly MC *see* Opara TN

Bhadra AK, Pollock R, Tirabosco RP, Skinner JAM, Cannon SR, Briggs TWR, Flanagan AM. Primary tumours of the synovium 1504–8

Biant LC, Bentley G. Stem cells and debrided waste 1110–14

Bielecki TM, Gazdzik TS, Arendt J, Szczepanski T, Król W, Wielkoszynski T. Antibacterial effect of autologous platelet gel enriched with growth factors and other active substances 417–20

Birch A *see* Bassi RS

Birch R *see* Knight DMA; Uppal HS

Bircher D *see* Day AC

Bircher M *see* Patel V

Biring GS, Masri BA, Greidanus NV, Duncan CP, Garbuz DS. Predictors of qualify of life outcomes after revision total hip replacement 1446–51

Bitzan P *see* Toma CD

Blake SM *see* Veitch S

Blomfeldt R, Törnkvist H, Eriksson K, Söderqvist A, Ponzer S, Tidermark J. A randomised controlled trial comparing bipolar hemiarthroplasty with total hip replacement for displaced intracapsular fractures of the femoral neck in elderly patients 160–5

Blumenthal SL *see* Guyer RD

Blunn GW *see* Hanna SA

Blunt S *see* Ziaee H

Board RE *see* Board TN

Board TN, Karva S, Board RE, Gambhir AK, Porter ML. The prophylaxis and treatment of heterotopic ossification following lower limb arthroplasty 434–40

Boileau P *see* Ahrens PM; Balg F; Hobby J

Bolland BJRF, New AMR, Madabhushi SPG, Oreffo ROC, Dunlop DG. Vibration-assisted bone-graft compaction in impaction bone grafting of the femur 686–92

Bonnel F *see* Cesar M

Boric I *see* Ivkovic A

Bortier H *see* van Riet RP

Bottner F, Wagner A, Winkelmann W, Becker K, Erren M, Götze C. Interleukin-6, procalcitonin and TNF-α 94–9

Boursinos L *see* Karachalios T

Boutron I, Ravaud P, Nizard R. The design and assessment of prospective randomised, controlled trials in orthopaedic surgery 858–63

Bradley M *see* Haene RA

Brady OH *see* Quinlan JF

Breidahl W *see* Gohil S

Brenkel I *see* Cohen AT

Brenkel IJ *see* Elson EW; Ng CY

Briant-Evans TW, Norton MR, Fern ED. Fractures of Corin 'Taper-Fit' CDH stems used in 'cement-in-cement' revision total hip replacement (case report) 393–5

Briggs TWR *see* Bhadra AK; Hanna SA; Lee RS

Brocke L *see* Peyser A
Bruns J, Delling G, Gruber H, Lohmann CH, Habermann CR. Cementless fixation of megaprostheses using a conical fluted stem in the treatment of bone tumours 1084–7
Bufquin T, Hersan A, Hubert L, Massin P. Reverse shoulder arthroplasty for the treatment of three- and four-part fractures of the proximal humerus in the elderly 516–20
Bull MJ *see* Robinson KP
Bünger C *see* Jensen TB
Byrne JMO *see* Shannon FJ

C

Caglar O *see* Atilla B
Cakar M *see* Eren A
Caldwell BF *see* Pearse EO
Camacho-Galindo J *see* Ilizaliturri VM Jr
Campbell P *see* De Haan R
Campbell PA *see* Gill HS
Cannon SR *see* Bhadra AK; Hanna SA; Lee RS
Canovas F *see* Cesar M
Carbone TA *see* Howie DW
Carlsson L *see* Uvehammer J
Carpenter EC *see* James SH
Carr AJ *see* Hand GCR; Matthews TJW; McDonnell SM; Murray DW
Carrascal MT *see* Alcantara-Martos T
Carroll FA *see* Robinson KP
Carter SR *see* Grimer RJ; Jeys LM; Kalra S; Myers GJC
Case CP *see* Keegan GM
Cassar-Pullicino VN *see* Bajada S; Cribb GL
Cassol S *see* Danaviah S
Castellanos-Rosas J *see* Lunn JV
Cesar M, Roussanne Y, Bonnel F, Canovas F. GSB III total elbow replacement in rheumatoid arthritis 330–4
Chaarani MW. Antegrade Rush nailing for fractures of the distal humerus 940–2
Chakrabarti AJ *see* Quraishi NA
Chalès G *see* Albert J-D
Chang CB *see* Park KK
Chang CB, Han I, Kim SJ, Seong SC, Tim TK. Association between radiological findings and symptoms at the patellofemoral joint in advanced knee osteoarthritis 1324–8
Chaudhary H *see* Nowicki P
Chauhan SK *see* Spencer JM
Chen HC *see* Munirah S
Chen X *see* Zhang X
Cheng J-Q *see* Lian Y-Y
Cherian VM *see* Sundararaj GD
Cheung WY *see* Nunn TR
Chew NS *see* Mitchell PD
Chikkamuniyappa C *see* Houshian S
Chipperfield A *see* Little NJ
Chitre AR, Fehily MJ, Bamford DJ. Total hip replacement after intra-articular injection of local anaesthetic and steroid 166–8
Chitre AR, Sadiq S. The incidence of deep prosthetic infections in a specialist orthopaedic hospital: a 15-year prospective study (correspondence) 281
Chiu KH *see* Wong KC
Cho HS, Oh, JH, Kim H-S, Kang HG, Lee SH. Unicameral bone cysts 222–6
Cho Y-J *see* Lian Y-Y
Choi PD *see* Ogawa BK
Christen B, Heesterbeek PV, Wymenga A, Wehrli U. Posterior cruciate ligament balancing in total knee replacement 1046–50
Chua DTC *see* Goh S-K
Chua SY *see* Goh S-K
Chun S-W *see* Lian Y-Y
Church JS, Scadden JE, Gupta RR, Cokis C, Williams KA, Janes GC. Embolic phenomena during computer-assisted and conventional total knee replacement 481–5
Chuter GSJ, Cloke DJ, Mahomed A, Partington PE, Green SM. Wear analysis of failed acetabular polyethylene 273–9
Cicak N *see* Ivkovic A
Citak M, Kendoff D, Kfuri M Jr, Pearle A, Krettek C, Hüfner T. Accuracy analysis of Iso-C^{3D} *versus* fluoroscopy-based navigated retrograde drilling of osteochondral lesions 323–6
Clarke HJ *see* Langdown AJ
Clarke MT *see* Messick KJ
Cleary MS *see* Shannon FJ
Clement H *see* Grechenig W
Cleveland T *see* Konangamparambath S
Cloke DJ *see* Chuter GSJ
Cobb JP. Computer navigation *versus* conventional total knee replacement (correspondence) 1130
Coffey JC *see* Laing AJ
Cofield RH *see* Rispoli DM
Cohen AT, Skinner JA, Warwick D, Brenkel I. The use of graduated compression stockings in association with fondaparinux in surgery of the hip 887–92
Cokis C *see* Church JS
Compson JP *see* Arya AP
Condon ET *see* Laing AJ
Confalonieri N *see* Manzotti A
Cooke PH *see* Jackson WFM
Cookson B *see* Simpson AHRW
Cooper JP *see* Ya'ish FMM
Copeland SA *see* Mullett H
Corner JA, Emery R. The floating shoulder (correspondence) 708
Cornu O *see* Delloye C
Courpied JP *see* Triclot P
Craigen MAC *see* Ya'ish FMM
Crane TP *see* Grimer RJ
Crawfurd EJP *see* Uppal HS
Cribb GL, Jaffray DC, Cassar-Pullicino VN. Observations on the natural history of massive lumbar disc herniation 782–4

Cronin JJ *see* Shannon FJ
Crowder TT *see* Garras DN
Crowe M *see* Quraishi NA
Crowley DJ, Kanakaris NK, Giannoudis PV. Irrigation of the wounds in open fractures 580–5
Culpan P, Le Strat V, Piriou P, Judet T. Arthrodesis after failed total ankle replacement 1178–83
Curzon I *see* Patil S
Cutler L *see* Ramamurthy C

D

Dai KR *see* Tang TT
Dall GF *see* Foster L
Dalton DJN *see* Langdown AJ
Dalziel RE *see* Hing CB
Damron LA *see* Messick KJ
Danaviah S, Govender S, Gordon ML, Cassol S. Atypical mycobacterial spondylitis in HIV-negative patients identified by genotyping 346–8
Daniel J *see* Itayem R; Ziaee H
Daniel J, Ziaee H, Pradhan C, Pynsent PB, McMinn DJW
Blood and urine metal ion levels in young and active patients after Birmingham hip resurfacing arthroplasty 169–73
Blood and urine metal ion levels in young and active patients after Birmingham hip resurfacing arthroplasty (correspondence) 989–90
Daniel J, Ziaee H, Pynsent PB, McMinn DJW. The validity of serum levels as a surrogate measure of systemic exposure to metal ions in hip replacement 736–41
Dargel J *see* Koslowsky TC
Datta AK *see* Ziaee H
Dave J *see* Simpson AHRW
David H *see* Veitch S
David LA *see* Hanna SA
Davidson AW *see* Krieg AH
Davies EM *see* Seel EH
Davis B *see* Von Meibom N
Davis ET, Galli P, Macgroarty K, Waddell JP, Schemitsch E. The accuracy of image-free computer navigation in the placement of the femoral component of the Birmingham Hip Resurfacing 557–60
Davis N *see* Dyer PJ
Dawson J *see* Murray DW
Day A *see* Patel V
Day AC, Kinmont C, Bircher MD, Kumar S. Crescent fracture-dislocation of the sacroiliac joint 651–8
De Beer J *see* Sauvé P
De Haan R, Campbell P, Reid S, Skipor AK, De Smet K. Metal ion levels in a triathlete with a metal-on-metal resurfacing arthroplasty of the hip (case report) 538–41
De Smet K *see* De Haan R
De Smet KA *see* Gill HS
de Weerdt W *see* van Riet RP
Deehan DJ, Bell K, McCaskie AW. Adolescent musculoskeletal injuries in a football academy 5–8
Dega R *see* Singh PJ
Dehne K *see* McBryde CW
Delgado-Martinez AD *see* Alcantara-Martos T
Delisle J *see* Benoit B
Delling G *see* Bruns J
Delloye C, Cornu O, Druez V, Barbier O. Bone allografts 574–9
Demirkiran G *see* Eren A
Denaro V *see* Franceschi F
Derbyshire B, Porter ML
A study of the Elite Plus femoral component using radiostereometric analysis 730–5
A study of the Elite Plus femoral component using radiostereometric analysis (correspondence) 1270–1
Dhapre A *see* Von Meibom N
Dheenadhayalan J *see* Rajeskaran S
Dhert WJA *see* Auw Yang KG
Di Cesare PE *see* Evangelista GT
Diks MJF *see* Koëter S
Dillon JP *see* Laing AJ
Dinah F *see* Patel V
DiTaranto P *see* Price AE
Dodd CAF *see* Beard DJ
Dodd LE. Infection in knee replacements after previous injection of intra-articular steroid (correspondence) 422
Donnachie NJ *see* Roberts VI
Donzelli O *see* Lampasi M
Doorgakant A *see* Auyeung J
Dora C, Houweling M, Koch P, Sierra RJ. Iliopsoas impingement after total hip replacement 1031–5
Doran E *see* McConway J
Dorey FJ *see* Beaulé PE
Dowd GSE, Hussein R, Khanduja V, Ordman AJ. Complex regional pain syndrome with special emphasis on the knee 285–90
Doyle F *see* Quinlan JF
Druez V *see* Delloye C
Duan L *see* Zhang X
Dunbar M *see* Hobby J
Duncan C *see* Albert C
Duncan CP *see* Biring GS
Duncan R *see* Siapkara A
Duncan RDD *see* Maheshwari R
Dunlop DG *see* Bolland BJRF
Dunlop P *see* Khunda A
Dupont C *see* Vendittoli P-A
Dyer PJ, Davis N. The role of the Pirani scoring system in the management of club foot by the Ponseti method (correspondence) 561–2

E

Eastwood DM *see* Lee RS
Eckhardt C *see* Thiele OC
Edgar MA. The nerve supply of the lumbar intervertebral disc 1135–9

Egol KA *see* Strauss EJ
Eid K *see* Maquieira GJ
El Masri F *see* Triclot P
Eldridge JDJ *see* Ackroyd CE; Barnett AJ; Mulford JS
El-Guindi M *see* Harvie P
Elhassan B, Fakhouri A. Metastasis of squamous-cell carcinoma of the lung to the first web space of the hand (case report) 1243–6
Elliot TSJ *see* Grimer RJ
El-Rosasy MA
Acute shortening and re-lengthening in the management of bone and soft-tissue loss in complicated fractures of the tibia 80–8
Acute shortening and re-lengthening in the management of bone and soft-tissue loss in complicated fractures of the tibia (correspondence) 846–7
Elson EW, Brenkel IJ. A conservative approach is feasible in unexplained pain after knee replacement 1042–5
Emery R *see* Corner JA
Engesaeter LB *see* Hallan G; Lie SA
Epinette J-A, Manley MT. Hydroxyapatite-coated total knee replacement 34–8
Eren A, Pekmezci M, Demirkiran G, Cakar M, Guven M, Yazici M. Modified Salter osteotomy for the treatment of developmental dysplasia of the hip 1375–8
Eriksson K *see* Blomfeldt R
Erren M *see* Bottner F
Esler CN *see* Roberts VI
Esler CNA *see* Baker PN; Roberts VI
Espinosa N *see* Maquieira GJ
Eustace SJ *see* Shannon FJ
Evangelista GT, Fulkerson E, Kummer F, Di Cesare PE. Surface damage to an Oxinium femoral head prosthesis after dislocation (case report) 535–7
Evans CH *see* Goodrich LR
Evans R *see* Ackroyd CE
Evans S *see* Mitchell PD
Even T *see* Mullett H

F

Fabbri N *see* Bacci G
Fairclough JA *see* James SH
Fakhouri A *see* Elhassan B
Fawcett J *see* Fitzgerald J
Fehily MJ *see* Chitre AR
Fern ED *see* Briant-Evans TW
Fernlund G *see* Albert C
Ferrari S *see* Bacci G
Figl M *see* Goris RJA
FitzGerald G *see* Warwick D
Fitzgerald J, Fawcett J. Repair in the central nervous system 1413–20
Fitzpatrick R *see* Murray DW
Flanagan AM *see* Bhadra AK
Flecher X, Parratte S, Aubaniac J-M, Argenson J-N. Three-dimensional custom-designed cementless femoral stem for osteoarthritis secondary to congenital dislocation of the hip 1586–91
Fleming PA *see* Wroblewski BM
Flinkkilä T *see* Ristiniemi J
Forni C *see* Bacci G
Foster L, Dall GF, Reid R, Wallace WH, Porter DE. Twentieth-century survival from osteosarcoma in childhood 1234–8
Fraitzl CR, Käfer W, Nelitz M, Reichel H. Radiological evidence of femoroacetabular impingement in mild slipped capital femoral epiphysis 1592–6
Franceschi F, Longo UG, Ruzzini L, Denaro V. Isolated tuberculosis of the patellar tendon (case report) 1525–6
Frank JB *see* Strauss EJ
Frankle M *see* Levy JC
Frei H *see* Albert C
Friedman RJ *see* Warwick D
Fuji T *see* Aono H
Fujioka H *see* Nagura I
Fulkerson E *see* Evangelista GT
Funahashi S, Nagano A, Sano M, Ogihara H, Omura T. Restoration of shoulder function and elbow flexion by nerve transfer for poliomyelitis-like paralysis caused by enterovirus 71 infection (case report) 246–8
Furman BD *see* Hembree WC
Furnes O *see* Hallan G; Lie SA

G

Gaitanis I *see* Hadjipavlou A
Gallie P *see* Davis ET
Gambhir AK *see* Board TN
Gamie Z *see* Tsiridis E
Ganapathi M *see* Vendittoli P-A
Gandhi J *see* Patil S
Gang R *see* Zhen-Sheng M
Garbuz DS *see* Biring GS
Gardner ROE *see* Barnett AJ
Gargan M *see* Barakat MJ
Garras DN, Crowder TT, Olson SA. Medium-term results of the Bernese periacetabular osteotomy in the treatment of symptomatic developmental dysplasia of the hip 721–4
Gaston MS, Simpson AHRW. Inhibition of fracture healing 1553–60
Gazdzik TS *see* Bielecki TM
Geiger F *see* Kasten P
Gerber C *see* Maquieira GJ
Gerdhem P, Åkesson K. Rates of fracture in participants and non-participants in the Osteoporosis Prospective Risk Assessment Study 1627–31
Giannoudis P *see* Pape H-C
Giannoudis PV *see* Crowley DJ; Tsiridis E
Giannoudis PV, Tsiridis E. A minimally-invasive technique for the treatment of pyogenic sacroiliitis (case report) 112–14

Giannoudis PV, Tzioupis C, Moed BR. Two-level reconstruction of comminuted posterior-wall fractures of the acetabulum 503–9
Giannoudis PV, Tzioupis CC, Pape H-C, Roberts CS. Percutaneous fixation of the pelvic ring 145–54
Giannoudis PV, van Griensven M, Tsiridis E, Pape HC. The genetic predisposition to adverse outcome after trauma 1273–9
Giblin V *see* Aarvold A
Gikas PD *see* Hanna SA
Gil-Garay E *see* Warwick D
Gill HS *see* Beard DJ; Steffen R
Gill HS, Campbell PA, Murray DW, De Smet KA. Reduction of the potential for thermal damage during hip resurfacing 16–20
Gilson N *see* Von Meibom N
Goh S-K, Yang KY, Koh JSB, Wong MK, Chua SY, Chua DTC, Howe TS. Subtrochanteric insufficiency fractures in patients on alendronate therapy 349–53
Gohil S, Annear PO, Breidahl W. Anterior cruciate ligament reconstruction using autologous double hamstrings: a comparison of standard *versus* minimal debridement techniques using MRI to assess revascularisation 1165–71
Goldhahn J *see* Kolling C
Goodrich LR, Hidaka C, Robbins PD, Evans CH, Nixon AJ. Genetic modification of chondrocytes with insulin-like growth factor-1 enhances cartilage healing in an equine model 672–85
Gordon ML *see* Danaviah S
Goris RJA, Leixnering M, Huber W, Figl M, Jaindl M, Redl H. Delayed recovery and late development of complex regional pain syndrome in patients with an isolated fracture of the distal radius 1069–76
Gorodetskyi IG, Gorodnichenko AO, Tursin PS, Reshetnyak VK, Uskov ON. Non-invasive interactive neurostimulation in the post-operative recovery of patients with a trochanteric fracture of the femur 1488–94
Gorodnichenko AI *see* Gorodetskyi IG
Goss TP *see* Owens BD
Gosvig KK, Jacobsen S, Palm H, Sonne-Holm S, Magnusson E. A new radiological index for assessing asphericity of the femoral head in cam impingement 1309–16
Götze C *see* Bottner F
Goutos I *see* Mitchell PD
Govender S *see* Danaviah S
Graham HK, Harvey A. Assessment of mobility after multi-level surgery for cerebral palsy (editorial) 993–4
Grechenig W, Clement H, Pichler W, Tesch NP, Windisch G. The influence of lateral and anterior angulation of the proximal ulna on the treatment of a Monteggia fracture 836–8
Green JM *see* Hammer TO
Green SM *see* Chuter GSJ
Gregg PJ *see* Baker PN
Greidanus NV *see* Biring GS
Greiss ME *see* Ramisetty N
Griffin D *see* Hobby J
Grigoris P *see* Udofia I
Grimer RJ *see* Jeys LM; Kalra S; Myers GJC
Grimer RJ, Carter SR, Tillman RM, Abudu A. Osteofibrous dysplasia of the tibia (correspondence) 141
Grimer RJ, Phillips JE, Crane TP, Noy M, Elliot TSJ. The incidence of deep prosthetic infections in a specialist orthopaedic hospital: a 15-year prospective study (ccorrespondence) 281
Grosjean G *see* Triclot P
Grossman JAI *see* Price AE
Grover M *see* Sauvé P
Grover ML *see* Langdown AJ
Gruber H *see* Bruns J
Guggenbuhl P *see* Albert J-D
Guilak F *see* Hembree WC
Guo-Sheng D *see* Zhen-Sheng M
Gupta A. The management of ununited fractures of the femoral neck using internal fixation and muscle pedicle periosteal grafting 1482–7
Gupta RR *see* Church JS
Gupte CM *see* Opara TN
Guven M *see* Eren A
Guyer RD, Blumenthal SL. Survival and clinical outcome of SB Charité III disc replacement for back pain (correspondence) 1673
Gwilym SE *see* Uppal HS

H

Habermann CR *see* Bruns J
Haddad FS, Ashby E, Konangamparambath S. Should follow-up of patients with arthroplasties be carried out by general practitioners? (editorial) 1133–4
Hadjipavlou A, Tosounidis T, Gaitanis I, Kakavelakis K, Katonis P. Balloon kyphoplasty as a single or as an adjunct procedure for the management of symptomatic vertebral haemangiomas 495–502
Haene RA, Bradley M, Villar RN. Hip dysplasia and the torn acetabular labrum 1289–92
Haene RA, Loeffler M. Hair tourniquet syndrome in an infant (case report) 244–5
Hakeos W *see* Vaidya R
Hakkalamani S *see* Roberts VI
Hallan G *see* Lie SA
Hallan G, Lie SA, Furnes O, Engesaeter LB, Vollset SE, Havelin LI. Medium- and long-term performance of 11516 uncemented primary femoral stems from the Norwegian arthroplasty register 1574–80
Hamada Y *see* Hibino N
Hamadouche M *see* Triclot P
Hämäläinen MMJ *see* Himanen A-K
Hamlet M *see* Moonot P
Hammer TO, Wieling R, Green JM, Südkamp NP, Schneider E, Müller CA. Effect of re-implanted particles from intramedullary reaming on mechanical properties and callus formation 1534–8
Han CW *see* Lee JH
Han HS, Kang S-B, Yoon KS. High incidence of loosening of the femoral component in legacy posterior stabilised-flex total knee replacement 1457–61

Han I *see* Chang CB
Hand GCR, Athanasou NA, Matthews T, Carr AJ. The pathology of frozen shoulder 928–32
Hanna SA, David LA, Aston WJS, Gikas PD, Blunn GW, Cannon SR, Briggs TWR. Endoprosthetic replacement of the distal humerus following resection of bone tumours 1498–503
Hanratty BM, Thompson NW, Wilson RK, Beverland DE. The influence of posterior condylar offset on knee flexion after total knee replacement using a cruciate-sacrificing mobile-bearing implant 915–18
Hara Y, Ochiai N, Abe I, Ichimura H, Saijilafu, Nishiura Y. Effect of progesterone on recovery from nerve injury during leg lengthening in rats 830–5
Haroon M *see* Harvie P
Harper W *see* Nixon M
Harper WM *see* Roberts VI
Harrison PE *see* Bajada S
Harrison WJ *see* Norrish AR
Hart AJ *see* Anwar HA
Hart RA *see* Sales JR
Harvey A *see* Graham HK
Harvey N *see* Beaulé PE
Harvie P, Haroon M, Henderson N, El-Guindi M. Fracture of the hydroxyapatite-ceramic-coated JRI-Furlong femoral component 742–5
Hasan AS *see* Khan SA
Hasegawa Y *see* Tsuboi M
Hashimoto J *see* Arimitsu S
Havelin LI *see* Hallan G; Lie SA
Healy JC *see* Mitchell PD
Heesterbeek PV *see* Christen B
Hefti F *see* Krieg AH
Heinegård D *see* von Steyern F
Hellmich M *see* Koslowsky TC
Hembree WC, Ward BD, Furman BD, Zura RD, Nichols LA, Guilak F, Olson SA. Viability and apoptosis of human chondrocytes in osteochondral fragments following joint trauma 1388–95
Henderson N *see* Harvie P
Hersan A *see* Bufquin T
Herscovici D Jr, Scaduto JM, Infante A. Conservative treatment of isolated fractures of the medial malleolus 89–93
Heyligers IC *see* van Haaren EH
Hibino N, Hamada Y, Sairyo K, Yukata K, Sano T, Yasui N. Callus formation during healing of the repaired tendon-bone junction 1539–44
Hidaka C *see* Goodrich LR
Higgins B *see* Sauvé P
Higuera C *see* Barsoum WK
Himanen A-K, Belt EA, Lehto MUK, Hämäläinen MMJ. A comparison of survival of moulded monoblock and modular tibial components of 751 AGC total knee replacements in the treatment of rheumatoid arthritis 609–14
Hing CB, Back DL, Bailey M, Young DA, Dalziel RE, Shimmin AJ. The results of primary Birmingham hip resurfacings at a mean of five years 1431–8
Hing CB, Young DA, Dalziel RE, Bailey M, Back BL, Shimmin AJ. Narrowing of the neck in resurfacing arthroplasty of the hip 1019–24
Hiraki Y *see* Ishii I
Hirose J *see* Ishii I
Hirpara KM, Sullivan PJ, Raheem O, O'Sullivan ME. A biomechanical analysis of multistrand repairs with the Silfverskiöld peripheral cross-stitch 1396–401
Ho F-Y *see* Ma H-M
Hobbs CM *see* Langdown AJ
Hobby J, Griffin D, Dunbar M, Boileau P. Is arthroscopic surgery for stabilisation of chronic shoulder instability as effective as open surgery? 1188–96
Hoffmeyer P *see* Saudan M
Hofstaetter SG, Trnka HJ. The Weil osteotomy: a seven-year follow-up (correspondence) 280–1
Hollard J *see* Pearse EO
Hollinghurst D *see* Beard DJ
Hong-Ju Z *see* Zhen-Sheng M
Horibe S *see* Yamada Y
Houshian S, Chikkamuniyappa C, Schroeder H. Gradual joint distraction of post-traumatic flexion contracture of the proximal interphalangeal joint by a mini-external fixator 206–9
Houweling M *see* Dora C
Howe TS *see* Goh S-K
Howie DW, Wimhurst JA, McGee MA, Carbone TA, Badaruddin BS. Revision total hip replacement using cemented collarless double-taper femoral components 879–86
Huang C-H *see* Ma H-M
Huang C-Y *see* Ma H-M
Huber W *see* Goris RJA
Hubert L *see* Bufquin T
Hüfner T *see* Citak M
Hulme A *see* Mitchell PD
Hui ACW *see* Patil S
Hunt DM *see* Mitchell PD
Hussain FN. The role of the Pirani scoring system in the management of club foot by the Ponseti method (correspondence) 561
Hussein R *see* Dowd GSE
Hyvönen P *see* Ristiniemi J

I

Ichimura H *see* Hara Y
Iencean SM. Alternating cervical laminoplasty for cervical spondylotic myelopathy 639–41
Ihara K *see* Wada T
Ikeda S *see* Kumagi M
Ikemura S, Yamamoto T, Jingushi S, Nakashima Y, Mawatari T, Iwamoto Y. Leg-length discrepancy after transtrochanteric curved varus osteotomy for osteonecrosis of the femoral head 725–9
Ikeuchi M, Yamanaka N, Okanoue Y, Ueta E, Tani T. Determining the rotational alignment of the tibial component at total knee replacement 45–9

Ilizaliturri VM Jr, Nossa-Barrera JM, Acosta-Rodriguez E, Camacho-Galindo J. Arthroscopic treatment of femoroacetabular impingement secondary to paediatric hip disorders 1025–30
Imaeda T *see* Wada T
In Y, Kim S-J, Kwon Y-J. Patellar tendon lengthening for patella infera using the Ilizarov technique 398–400
Infante A *see* Herscovici D Jr
Iqbal SJ *see* Nixon M
Ishii I, Mizuta H, Sei A, Hirose J, Kudo S, Hiraki Y. Healing of full-thickness defects of the articular cartilage in rabbits using fibroblast growth factor-2 and a fibrin sealant 693–700
Itayem R, Arndt A, McMinn DJW, Daniel J, Lundberg A. A five-year radiostereometric follow-up of the Birmingham Hip Resurfacing arthroplasty 1140–3
Ito H, Matsumoto T, Yoshitomi H, Kakinoki R, Nakamura T. The outcome of peri-operative humeral condylar fractures after total elbow replacement in patients with rheumatoid arthritis 62–5
Ivkovic A, Boric I, Cicak N. One-stage operation for locked bilateral posterior dislocation of the shoulder (case report) 825–8
Iwamoto Y *see* Ikemura S
Iwasaki M *see* Aono H

J

Jackson WFM *see* Ward NJ
Jackson WFM, Tryfonidis M, Cooke PH, Sharp RJ. Arthrodesis of the hindfoot for valgus deformity 925–7
Jacobsen S *see* Gosvig KK
Jaffray DC *see* Cribb GL
Jaindl M *see* Goris RJA
Jalovaara P *see* Ristiniemi J
James SH, Carpenter EC, Fairclough JA. Tibiofibular synostosis in a professional football player (case report) 109–11
Jameson S, Reed MR. Payment by results and coding practice in the National Health Service 1427–30
Janes GC *see* Church JS
Jeffcote B, Nicholls R, Schirm A, Kuster MS. The variation in medial and lateral collateral ligament strain and tibiofemoral forces following changes in the flexion and extension gaps in total knee replacement 1528–33
Jenkins C *see* Beard DJ
Jensen TB, Overgaard S, Lind M, Rahbek O, Bünger C, Søballe K. Osteogenic protein-1 increases the fixation of implants grafted with morcellised bone allograft and ProOsteon bone substitute 121–6
Jeys LM, Luscombe JS, Grimer RJ, Abudu A, Tillman RM, Carter SR. The risks and benefits of radiotherapy with massive endoprosthetic replacement 1352–5
Jin Z *see* Udofia I
Jingushi S *see* Ikemura S
Jinno T *see* Suzuki K
Johnson DS *see* Khan WS
Johnson K *see* Warwick D
Johnston P *see* Quraishi NA
Jones BG, Mehin R, Young D. Anatomical study of the placement of proximal oblique locking screws in intramedullary tibial nailing 1495–7
Jones RK *see* Khan WS
Jonsson K *see* von Steyern F
Joo SY, Park KB, Kim BR, Park HW, Kim HW. The 'four-in-one' procedure for habitual dislocation of the patella in children 1645–9
Joslin GC *see* Ackroyd CE
Judet T *see* Culpan P

K

Käfer W *see* Fraitzl CR
Kakarala GK *see* Arya AP
Kakavelakis K *see* Hadjipavlou A
Kakinoki R *see* Ito H
Kalra S, Grimer RJ, Spooner D, Carter SR, Tillman RM, Abudu A. Radiation-induced sarcomas of bone 808–13
Kamegaya M *see* Nakamura J
Kaminski A, Kammler J, Wick M, Muhr G, Kutscha-Lissberg F. Transmission of methicillin-resistant *Staphylococcus aureus* among hospital staff in a German trauma centre 642–5
Kammler J *see* Kaminski A
Kampa RJ, Prasthofer A, Lawrence-Watt DJ, Pattison RM. The internervous safe zone for incision of the capsule of the hip 971–6
Kanakaraddi SV, Nagaraj G, Ravinath TM. Adamantinoma of the tibia with late skeletal metastasis (case report) 388–9
Kanakaris NK *see* Crowley DJ
Kaneko N see Aono H
Kang HG *see* Cho HS
Kang S-B *see* Han HS
Kang YG *see* Park KK
Karachalios T, Boursinos L, Poultsides L, Khaldi L, Malizos KN. The effects of the short-term administration of low therapeutic doses of anti-COX-2 agents on the healing of fractures 1253–60
Karataglis D *see* Petsatodis G
Kärrholm J *see* Uvehammer J
Karva A *see* Board TN
Kasten P, Geiger F, Zeifang F, Weiss S, Thomsen M. Compliance with continuous passive movement is low after surgical treatment of idiopathic club foot in infants 375–7
Katonis P *see* Hadjipavlou A
Kawachi S *see* Suzuki K
Kawai A *see* Wada T
Kawanabe K, Akiyama H, Onishi E, Nakamura T. Revision total hip replacement using the Kerboull acetabular reinforcement device with morsellised or bulk graft 26–31
Kay RM *see* Ogawa BK

Keating JF *see* Ohly NE
Keegan GM, Learmonth ID, Case CP. Orthopaedic metals and their potential toxicity in the arthroplasty patient 567–73
Keller A *see* Saudan M
Kelly M *see* Patel V
Kelly MP *see* Sharma H
Kendoff M *see* Citak M
Kfuri M Jr *see* Citak M
Khaldi L *see* Karachalios T
Khan A, Yates, P, Lovering A, Bannister GC, Spencer RF. The effect of surgical approach on blood flow to the femoral head during resurfacing 21–5
Khan MA. Outcome of single-event multilevel surgery in untreated cerebral palsy in a developing country 1088–91
Khan SA, Varshney MK, Hasan AS, Kumar A, Trikha V. Tuberculosis of the sternum 817–20
Khan T *see* Sauvé P
Khan WS, Nokes L, Jones RK, Johnson DS. The relationship of the angle of immobilisation of the knee to the force applied to the extensor mechanism when partially weight-bearing 911–14
Khanduja V *see* Dowd GSE
Khatri M *see* Ross R
Khaw FM *see* Baker PN
Khunda A, Stirrat AN, Dunlop P. Injury to the axillary artery, a complication of fixation using a locking plate (case report) 1519–21
Kijima H *see* Omi H
Kim BR *see* Joo SY
Kim D-Y *see* Kim Y-H
Kim H-S *see* Cho HS
Kim HW *see* Joo SY
Kim J-S *see* Kim Y-H
Kim SJ *see* Chang CB; In Y; Lee JS; Ok I-Y; Suh KT
Kim S-Y *see* Lee H-Y
Kim TK *see* Chang CB; Park KK
Kim Y-H, Kim D-Y, Kim J-S. Simultaneous mobile- and fixed-bearing total knee replacement in the same patients 904–10
Kim Y-H, Kim J-S, Kim D-Y. Clinical outcome and rate of complications after primary total knee replacement performed with quadriceps-sparing or standard arthrotomy 467–70
Kim Y-H, Kim J-S, Yoon S-H.
Alignment and orientation of the components in total knee replacement with and without navigation support 471–6
Long-term survivorship of the Charnley Elite Plus femoral component in young patients 449–54
Kim Y-H, Yoon S-H, Kim J-S.
Changes in the bone mineral density in the acetabulum and proximal femur after cementless total hip replacement 174–9
The long-term results of simultaneous fixed-bearing and mobile-bearing total knee replacements performed in the same patient 1317–23
Kim YK *see* Suh KT
Kinmont C *see* Day AC
Kirita T *see* Mizuno S
Kirk LMG *see* Baker PN
Klenerman L.
The early history of tendo Achillis and its rupture (historical note) 545–7
The evolution of the compartment syndrome since 1948 as recorded in the JBJS (B) 1280–2
A history of osteomyelitis from the *Journal of Bone and Joint Surgery* (historical note) 667–70
Klika AK *see* Barsoum WK
Knahr K, Pospischill M, Köttig P, Schneider W, Plenk H Jr. Retrieval analyses of highly cross-linked polyethylene acetabular liners four and five years after implantation 1036–41
Knight DMA, Birch R, Pringle J. Benign solitary schwannomas 382–7
Koch P *see* Dora C
Koebke J *see* Koslowsky TC
Koëter S, Diks MJF, Anderson PG, Wymenga AB. A modified tibial tubercle osteotomy for patellar maltracking 180–5
Koh HS *see* Lee JH
Koh JSB *see* Goh S-K
Koizumi W *see* Nakamura J
Kokubu T *see* Nagura I
Kolling C, Simmen BR, Labek G, Goldhahn J. Key factors for a successful National Arthroplasty Register 1567–73
Konangamparambath S *see* Haddad FS
Konangamparambath S, Wilkinson JM, Cleveland T, Stockley I. Urinary catheter tamponade to control intra-operative bleeding from the superior gluteal artery 32–3
Konrad GG, Kundel K, Kreuz PC, Oberst M, Sudkamp NP. Monteggia fractures in adults 354–60
Koslowsky TC, Mader K, Dargel J, Koebke J, Hellmich M, Pennig D. Reconstruction of a Mason type-III fracture of the radial head using four different fixation techniques 1545–50
Köttig P *see* Knahr K
Koval KJ *see* Strauss EJ
Krause F, Windolf M, Schwieger K, Weber M. Ankle joint pressure in pes cavovarus 1660–5
Krebs VE *see* Barsoum WK
Krettek C *see* Citak M
Kreuz PC *see* Konrad GG
Krieg AH, Davidson AW, Stalley PD. Intercalary femoral reconstruction with extracorporeal irradiated autogenous bone graft in limb-salvage surgery 366–71
Krieg AH, Hefti F. Reconstruction with non-vascularised fibular grafts after resection of bone tumours 215–21
Kristiansson I *see* von Steyern F
Król W *see* Bielecki TM
Kudo S *see* Ishii I
Kulshreshtha R *see* Arya AP
Kumagi M, Ikeda S, Uchida K, Ono T, Tsumara H. Total knee replacement for osteoarthritis of the knee with congenital dislocation of the patella (case report) 1522–4
Kumar A *see* Khan SA
Kumar M *see* Rajeskaran S
Kumar S *see* Day AC

Kummer F *see* Evangelista GT
Kumta SM *see* Wong KC
Kundel K *see* Konrad GG
Kuroda R *see* Oe K
Kurosaka M *see* Nagura I; Oe K
Kurup HV. A score for predicting salvage and outcome in Gustilo type-IIIA and type-IIIB open tibial fractures (correspondence) 562
Kuster MS *see* Jeffcote B
Kusumi T *see* Omi H
Kutscha-Lissberg F *see* Kaminski A
Kwok T-G *see* Ma H-M
Kwon Y-J *see* In Y

L

Labek G *see* Kolling C
Laflamme GH *see* Benoit B
Laflamme GY *see* Benoit B
Laing AJ, Dillon JP, Condon ET, Coffey JC, Street JT, Wang JH, McGuinness AJ, Redmond HP. A systemic provascular response in bone marrow to musculoskeletal trauma in mice 116–20
Lakovaara M *see* Ristiniemi J
Lakshmanan P, Sharma A, Lyons K, Peehal JP. Are occult fractures of the hip and pelvic ring mutually exclusive? 1344–6
Lamdan R, Sadun A, Shamir MY. Near-fatal air embolus during arthrography of the hip in a baby aged four months (case report) 240–1
Lampasi M, Magnani M, Donzelli O. Aneurysmal bone cysts of the distal fibula in children 1356–62
Langdown AJ, Pickard RJ, Hobbs CM, Clarke HJ, Dalton DJN, Grover ML. Incomplete seating of the liner with the Trident acetabular system 291–5
Langkamer VG *see* Smith LK
Lankester BJA *see* Barnett AJ
Lashari S *see* Lee C
Lavigne M *see* Vendittoli P-A
Lawrence-Watt DJ *see* Kampa RJ
Le Duff MJ *see* Beaulé PE
Le Strat V *see* Culpan P
Learmonth ID *see* Keegan GM
Lee C, Lashari S. Pseudofracture of the neck of femur secondary to osteomalacia (case report) 956–8
Lee H-Y, Kim S-J. Treatment of displaced supracondylar fractures of the humerus in children by a pin leverage technique 646–50
Lee JC *see* Mitchell PD
Lee JH, Prakash KVB, Pengatteeri YH, Park SE, Koh HS, Han CW, Chondrocyte apoptosis in the regenerated articular cartilage after allogenic chondrocyte transplantation in the rabbit knee 977–83
Lee JS *see* Suh KT
Lee JS, Moon KP, Kim SJ, Suh KT. Posterior lumbar interbody fusion and posterior instrumentation in the surgical management of lumbar tuberculous spondylitis 210–14
Lee RS, Weitzel S, Eastwood DM, Monsell F, Pringle J, Cannon SR, Briggs TWR. Osteofibrous dysplasia of the tibia (correspondence) 141
Lee SH *see* Cho HS; Lee ST
Lee SS *see* Suh KT
Lee ST, Song HR, Majahan R, Makwana V, Suh SW, Lee SH. Development of genu varum in achondroplasia 57–61
Lee SY *see* Oe K
Lee VN *see* Sundararaj GD
Lehto MUK *see* Himanen A-K
Leixnering M. *see* Goris RJA
Lemaire R. Professor Frantz Langlais (obituary) 1407
Leung KS *see* Wong KC
Levy JC, Virani N, Pupello D, Frankle M. Use of the reverse shoulder prosthesis for the treatment of failed hemiarthroplasty in patients with glenohumeral arthritis and rotator cuff deficiency 189–95
Levy O *see* Mullett H
Lewis CP *see* Norrish AR
Lewsey J *see* Baker PN
Li Z *see* Zhang X
Lian Y-Y, Yoo M-C, Pei F-X, Chc Y-J, Cheng J-Q, Chun S-W. Circumferential osteotomy of the medial acetabular wall in total hip replacement for the late sequelae of childhood septic arthritis of the hip 1149–54
Lidgren L *see* Robertsson O
Lie SA *see* Hallan G
Lie SA, Hallan G, Furnes O, Havelin LI, Engesæter LB. Isolated acetabular liner exchange compared with complete acetabular component revision in revision of primary uncemented acetabular components 591–4
Liebergall M *see* Peyser A
Lill CA *see* Thiele OC
Lind M *see* Jensen TB
Linke B *see* Thiele OC
Little DG *see* Nelson D
Little DG, Ramachandran M, Schindeler A. The anabolic and catabolic responses in bone repair 425–33
Little NJ, Chipperfield A, Ricketts DM. Infection in knee replacements after previous injection of intra-articular steroid (correspondence) 423
Liu F *see* Udofia I
Liu T *see* Zhang X
Liyanage SH *see* Opara TN
Lockwood RJ *see* Pearse EO
Loeffler M *see* Haene RA
Lohmann CH *see* Bruns J
Longhi A *see* Bacci G
Longo UG *see* Franceschi F
Lou JR *see* Tang TT
Lourenço AF, Morcuende JA. Correction of neglected idiopathic club foot by the Ponseti method 378–81
Lovering A *see* Khan A
Lu B *see* Tang TT
Lu JX *see* Tang TT
Lu Y-C *see* Ma H-M

Lundberg A *see* Itayem R
Lunn JV, Castellanos-Rosas J, Walch G. Arthroscopic synovectomy, removal of loose bodies and selective biceps tenodesis for synovial chondromatosis of the shoulder 1329–35
Luscombe JS *see* Jeys LM
Lusty PJ, Watson A, Tuke MA, Walter WL, Walter WK, Zicat B. Orientation and wear of the acetabular component in third generation alumina-on-alumina ceramic bearings 1158–64
Lyall H *see* Mitchell PD
Lyons AB *see* Nath RK
Lyons K *see* Lakshmanan P

M

Ma H-M, Lu Y-C, Kwok T-G, Ho F-Y, Huang C-Y, Huang C-H. The effect of the design of the femoral component on the conformity of the patellofemoral joint in total knee replacement 408–12
Macgroarty K *see* Davis ET
Machacek P *see* Toma CD
Madabhushi SPG *see* Bolland BJRF
Mader K *see* Koslowsky TC
Madhav R *see* Punwar S
Magnani M *see* Lampasi M
Magnusson E *see* Gosvig KK
Mahajan R *see* Lee ST
Maheshwari R, Sharma H, Duncan RDD. Metacarpophalangeal joint dislocation of the thumb in children 227–9
Mahomed A *see* Chuter GSJ
Makino T *see* Nagura I
Makwana V *see* Lee ST
Malizos KN *see* Karachalios T
Manion L *see* Schock HJ
Manley MT *see* Epinette J-A
Mann KA *see* Messick KJ
Mannfolk P *see* von Steyern F
Manor O *see* Peyser A
Manzotti A, Confalonieri N, Pullen C. Intertrochanteric fracture of an arthrodesed hip (case report) 390–2
Maquieira GJ, Espinosa N, Gerber C, Eid K. Non-operative treatment of large anterior glenoid rim fractures after traumatic anterior dislocation of the shoulder 1347–51
Marin F *see* Albert J-D
Masri B *see* Albert C
Masri BA *see* Biring GS
Massin P *see* Bufquin T
Matar WY *see* May O
Matsubara H *see* Tsuchiya H
Matsubara M *see* Suzuki K
Matsumoto T *see* Ito H
Mattan Y *see* Peyser A
Matthews T *see* Hand GCR
Matthews TJW, Smith SR, Peach CA, Rees JL, Urban JPG, Carr AJ. *In vivo* measurement of tissue metabolism in tendons of the rotator cuff 633–8
Mawatari T *see* Ikemura S
May O, Matar WY, Beaulé PE. Treatment of failed arthroscopic acetabular labral debridement by femoral chondro-osteoplasty 595–8
McBryde CW, Dehne K, Pearson AM, Treacy RBC, Pynsent PB. One- or two-stage bilateral metal-on-metal hip resurfacing arthroplasty 1144–8
McCaskie AW *see* Deehan DJ
McClelland M *see* Robinson KP
McConway J *see* Molloy DO
McConway J, O'Brien S, Doran E, Archbold P, Beverland D. The use of a posterior lip augmentation device for a revision of recurrent dislocation after primary cemented Charnley/Charnley Elite total hip replacement 1581–5
McDonnell SM, Sinsheimer J, Price AJ, Carr AJ. Genetic influences in the aetiology of anteromedial osteoarthritis of the knee 901–3
McGee MA *see* Howie DW
McGuinness AJ *see* Laing AJ
McMinn DJW *see* Daniel J; Itayem R; Ziaee H
McNally MA. Insufficient duration of venous thromboembolism prophylaxis after total hip or knee replacement when compared with the time course of thromboembolic events (correspondence) 1409
Meadeb J *see* Albert J-D
Mehin R *see* Jones BG
Meisterling S *see* Vaidya R
Melcher SE *see* Nath RK
Mereddy PKR *see* Roberts VI
Messick KJ, Miller MA, Damron LA, Race A, Clarke MT, Mann KA. Vacuum-mixing cement does not decrease overall porosity in cemented femoral stems 1115–21
Miki H *see* Sugano N
Miller MA *see* Messick KJ
Mirza AH *see* Ross R
Mitchell PD, Chew NS, Goutos I, Healy JC, Lee JC, Evans S, Hulme A. The value of MRI undertaken immediately after reduction of the hip as a predictor of long-term acetabular dysplasia 948–52
Mitchell PD, Hung DM, Lyall H, Nolan M, Tudor-Williams G. Panton-Valentine leukocidin-secreting *Staphylococcus aureus* causing severe musculoskeletal sepsis in children 1239–42
Miwa M *see* Oe K
Mizuno S, Takebayashi T, Kirita T, Tanimoto K, Tohse N, Yamashita T. The effects of the sympathetic nerves on lumbar radicular pain 1666–72
Mizuta H *see* Ishii I
Moed BR *see* Giannoudis PV
Molloy AP, Myerson MS, Yoon P. Symptomatic nonunion after fracture of the calcaneum 1218–24
Molloy DO, Archbold HAP, Ogonda L, McConway J, Wilson RK, Beverland DE. Comparison of topical fibrin spray and tranexamic acid on blood loss after total knee replacement 306–9
Molloy R *see* Barsoum WK
Monsell F *see* Barakat MJ; Lee RS

Moon J-G *see* Yun Y-H
Moon KP *see* Lee JS
Moonot P, Ashwood N, Hamlet M. Early results for treatment of three- and four-part fractures of the proximal humerus using the PHILOS plate system 1206–9
Morcuende JA *see* Lourenço AF
Morin B *see* Benoit B
Morita S *see* Suzuki K
Moritomo H *see* Arimitsu S
Moriya H *see* Nakamura J
Morris A *see* Watts AC
Morsi E. Acetabuloplasty for neglected dislocation of the hip in older children 372–4
Morsy AF *see* Tsuchiya H
Mosheiff R *see* Peyser A
Mottard S *see* Vendittoli P-A
Mountney J *see* Sauvé P
Mudan SS *see* Aarvold A
Muhr G *see* Kaminski A
Muir LTSW *see* Rajpura A
Mulford JS, Wakely CJ, Eldridge JDJ. Assessment and management of chronic patellofemoral instability 709–16
Müller CA *see* Hammer TO
Mullett H, Levy O, Raj D, Even T, Abraham R, Copeland SA. Copeland surface replacement of the shoulder 1466–9
Munirah S, Samsudin OC, Chen HC, Sharifah Salmah SH, Aminuddin BS, Ruszymah BHI. Articular cartilage restoration in load-bearing osteochondral defects by implantation of autologous chondrocyte-fibrin constructs 1099–109
Munuera-Martinez L *see* Alcantara-Martos T
Murase T *see* Arimitsu S
Murray DW *see* Beard DJ; Gill HS; Steffen R
Murray DW, Fitzpatrick R, Rogers K, Pandit H, Beard DJ, Carr AJ, Dawson J. The use of the Oxford hip and knee scores 1010–14
Murray IR *see* Ohly NE
Myers GJC, Abudu AT, Carter SR, Tillman RM, Grimer RJ.
Endoprosthetic replacement of the distal femur for bone tumours 521–6
The long-term results of endoprosthetic replacement of the proximal tibial for bone tumours 1632–7
Myerson MS *see* Molloy AP

N

Nagano A *see* Funahashi S
Nagaraj G *see* Kanakaraddi SV
Nagura I, Fujioka H, Kokubu T, Makino T, Sumi Y, Kurosaka M. Repair of osteochondral defects with a new porous synthetic polymer scaffold 258–64
Nakamura J, Kamegaya M, Saisu T, Someya M, Koizumi W, Moriya H. Treatment for developmental dysplasia of the hip using the Pavlik harness 230–5
Nakamura T *see* Ito H; Kawanabe K
Nakashima Y *see* Ikemura S
Naresh Babu J *see* Rajeskaran S
Nath RK, Lyons AB, Melcher SE, Paizi M. Surgical correction of the medial rotation contracture in obstetric brachial plexus palsy 1638–44
Nath RK, Paizi M. Improvement in abduction of the shoulder after reconstructive soft-tissue procedures in obstetric brachial plexus palsy 620–6
Nawabi DH, Sinisi M. Schwannoma of the posterior tibial nerve 814–16
Nelitz M *see* Fraitzl CR
Nelson D, Zenios M, Ward K, Ramachandran M, Little DG. The deformity index as a predictor of final radiological outcome in Perthes' disease 1369–74
New AMR *see* Bolland BJRF
Newman JH *see* Ackroyd CE
Ng CY, Ballantyne JA, Brenkel IJ. Quality of life and functional outcome after primary total hip replacement 868–73
Nicholls R *see* Jeffcote B
Nichols LA *see* Hembree WC
Nishihira J *see* Tohyama H
Nishii T *see* Sugano N
Nishiura Y *see* Hara Y
Nithyananth M *see* Sundararaj GD
Nixon AJ *see* Goodrich LR
Nixon M, Taylor G, Sheldon P, Iqbal SJ, Harper W. Does bone quality predict loosening of cemented total hip replacements? 1303–8
Nizard R *see* Boutron I
Nokes L *see* Khan WS
Nolan M *see* Mitchell PD
Norris HE *see* Ross R
Norrish AR, Lewis CP, Harrison WJ. Pin-track infection in HIV-positive and HIV-negative patients with open fractures treated by external fixation 790–3
Norton MR *see* Briant-Evans TW
Nossa-Barrera JM *see* Ilizaliturri VM Jr
Nowicki P, Chaudhary H. Total hip replacement in renal transplant patients 1561–6
Noy M *see* Grimer RJ
Nunn TR, Cheung WY, Rollinson PD. A prospective study of pyogenic sepsis of the hip in childhood 100–6
Nuttall D *see* Bassi RS; Ramamurthy C

O

Oberst M *see* Konrad GG
O'Brien S *see* McConway J
Ochiai N *see* Hara Y
Oe K, Miwa M, Sakai Y, Lee, SY, Kuroda R, Kurosaka, M. An *in vitro* study demonstrating that haematomas found at the site of human fractures contain progenitor cells with multilineage capacity 133–8
Oemar J *see* van Riet RP
Ogawa BK, Kay RM, Choi PD, Stevanovic MV. Complete division of the radial nerve associated with a closed fracture of the humeral shaft in a child (case report) 821–4
Ogihara H *see* Funahashi S

Ogonda L *see* Molloy DO
Oh JH *see* Cho HS
Ohly NE, Murray IR, Keating JF. Revision anterior cruciate ligament reconstruction 1051–4
Ohwada T *see* Aono H
Ok I-Y, Kim S-J. Remodelling of the distal radius after epiphysiolysis and lengthening (case report) 396–7
Oka K *see* Arimitsu S
Okanoue Y *see* Ikeuchi M
Olson SA *see* Garras DN; Hembree WC
Omi H, Kusumi T, Kijima H, Toh S. Locally administered low-dose alendronate increases bone mineral density during distraction osteogenesis in a rabbit model 984–8
Omura T *see* Funahashi S
Onishi E *see* Kawanabe K
Ono T *see* Kumagi M
Opara TN, Gupte CM, Liyanage SH, Poole S, Beverly MC. Tuberculous arthritis of the knee with *Staphylococcus* superinfection (case report) 664–6
Ordman AJ *see* Dowd GSE
Oreffo ROC *see* Bolland BJRF
Ormerod LP *see* Sandher DS
O'Rourke K *see* Steffen R
Orr MM *see* Auyeung J
O'Shea K *see* Quinlan JF
Ostlere S *see* Beard DJ
O'Sullivan ME *see* Hirpara KM
Overgaard S *see* Jensen TB
Owens BD, Goss TP. The floating shoulder (correspondence) 708
Oxland T *see* Albert C

P

Paizi M *see* Nath RK
Pakarinen H *see* Ristiniemi J
Palm H *see* Gosvig KK
Pandit H *see* Beard DJ; Murray DW
Papavisiliou AV. Infection in knee replacements after previous injection of intra-articular steroid (correspondence) 422, 423
Pape HC *see* Giannoudis PV
Pape H-C *see* Giannoudis PV
Pape H-C, Giannoudis P. The biological and physiological effects of intramedullary reaming 1421–6
Park HW *see* Joo SY
Park KB *see* Joo SY
Park KK, Chang CB, Kang YG, Seong SC, Kim TK. Correlation of maximum flexion with clinical outcome after total knee replacement in Asian patients 604–8
Park SE *see* Lee JH
Parratte S *see* Flecher X
Partington PF *see* Chuter GSJ
Patel V, Day A, Dinah F, Kelly M, Bircher M. The value of specific radiological features in the classification of acetabular fractures 72–6
Patil S *see* Albert C
Patil S, Gandhi J, Curzon I, Hui ACW. Incidence of deep-vein thrombosis in patients with fractures of the ankle treated in a plaster cast 1340–3
Paton RW *see* Sandher DS
Patterson RW *see* Barsoum WK
Pattison RM *see* Kampa RJ
Peach CA *see* Matthews TJW
Pearle A *see* Citak M
Pearse EO, Caldwell BF, Lockwood RJ, Hollard J. Early mobilisation after conventional knee replacement may reduce the risk of post-operative venous thromboembolism 316–22
Pearson AM *see* McBryde CW
Peehal JP *see* Lakshmanan P
Pei F-X *see* Lian Y-Y
Pekmezci M *see* Eren A
Peng W *see* Zhang X
Pengatteeri YH *see* Lee JH
Pennig D *see* Koslowsky TC
Perera NS *see* Singh PJ
Perneger T *see* Saudan M
Petsatodis G, Symeonidis PD, Karataglis D, Pournaras J. Multifocal *Proteus mirabilis* osteomyelitis requiring bilateral amputation in an HIV-positive patient (case report) 249–51
Peyser A, Weil YA, Brocke L, Sela Y, Mosheiff R, Mattan Y, Manor O, Liebergall M. A prospective, randomised study comparing the percutaneous compression plate and the compression hip screw for the treatment of intertrochanteric fractures of the hip 1210–17
Phillips JE *see* Grimer RJ
Picci P *see* Bacci G
Pichler W *see* Grechenig W
Pickard RJ *see* Langdown AJ
Pilot P *see* Berendes TD
Pinzur M *see* Schock HJ
Piriou P *see* Culpan P
Piskin A, Tomak Y, Sen C, Tomak L. The management of cubitus varus and valgus using the Ilizarov method 1615–19
Plenk H Jr *see* Knahr K
Pollock R *see* Bhadra AK
Ponzer S *see* Blomfeldt R
Poole S *see* Opara TN
Porter DE *see* Foster L
Porter ML *see* Board TN; Derbyshire B
Pospischill M *see* Knahr K
Poultsides L *see* Karachalios T
Pournaras J *see* Petsatodis G
Pradhan C *see* Daniel J
Prakash KVB *see* Lee JH
Prasthofer A *see* Kampa RJ
Price AE, DiTaranto P, Yaylali I, Tidwell MA, Grossman JAI. Botulinum toxin type A as an adjunct to the surgical treatment of the medial rotation deformity of the shoulder in birth injuries of the brachial plexus 327–9

Price AJ *see* McDonnell SM
Pringle J *see* Knight DMA; Lee RS
Pullen C *see* Manzotti A
Punwar S, Madhav R. Dislocation of the calcaneocuboid joint presenting as lateral instability of the ankle (case report) 1247–8
Pupello D *see* Levy JC
Pyman J *see* Barakat MJ
Pynsent PB *see* Daniel J; McBryde CW

Q

Quinlan JF, O'Shea K, Doyle F, Brady OH. In-cement technique of revision hip arthroplasty (correspondence) 1410
Quraishi NA, Johnston P, Bayer J, Crowe M, Chakrabarti AJ. Thawing the frozen shoulder 1197–200

R

Race A *see* Messick KJ
Rahbek O *see* Jensen TB
Raheem O *see* Hirpara KM
Raijmakers NJH *see* Auw Yang KG
Raj D *see* Mullett H
Rajasabapathy S *see* Rajeskaran S
Rajeskaran S, Naresh Babu J, Dheenadhayalan J, Shetty AP, Sundararajan SR, Kumar M, Rajasabapathy S. A score for predicting salvage and outcome in Gustilo type-IIIA and type-IIIB open tibial fractures (correspondence) 562–3
Rajpura A, Somanchi BV, Muir LTSW. The effect of tourniquet padding on the efficiency of tourniquets of the upper limb 532–4
Ramachandran M *see* Little DG; Nelson D
Ramamurthy C, Cutler L, Nuttall D, Simison AJM, Trail IA, Stanley JK. The factors affecting outcome after non-vascular bone grafting and internal fixation for nonunion of the scaphoid 627–32
Ramiah RD, Ashmore AM, Whitley E, Bannister GC. Ten-year life expectancy after primary total hip replacement 1299–302
Ramisetty N, Greiss ME. The Weil osteotomy: a seven-year follow-up (correspondence) 280
Ranstam J *see* Robertsson O
Ravaud P *see* Boutron I
Ravinath TM *see* Kanakaraddi SV
Reckord U *see* von Knoch F
Redl H *see* Goris RJA
Redmond HP *see* Laing AJ
Reed MR *see* Jameson S
Rees JL *see* Matthews TJW
Reichel H *see* Fraitzl CR
Reid R *see* Foster L
Reid S *see* De Haan R
Reshetnyak VK *see* Gorodetskyi IG
Riand N *see* Saudan M
Richardson JB *see* Bajada S
Ricketts DM *see* Little NJ
Rispoli DM, Sperling JW, Athwal GS, Schleck CD, Cofield RH. Pain relief and functional results after resection arthroplasty of the shoulder 1184–7
Ristiniemi J, Flinkkilä T, Hyvönen P, Lakovaara M, Pakarinen H, Jalovaara P. RhBMP-7 accelerates the healing in distal tibial fractures treated by external fixation 265–72
Robbins PD *see* Goodrich LR
Roberts CS *see* Giannoudis PV
Roberts VI, Esler CN, Harper WM. What impact have NICE guidelines had on the trends in hip arthroplasty since their publication? 864–7
Roberts P *see* Udofia I
Roberts VI, Esler CNA, Harper WM. A 15-year follow-up study of 4606 primary total knee replacements 1452–6
Roberts VI, Mereddy PKR, Donnachie NJ, Hakkalamani S. Anatomical variations in vastus medialis obliquus and its implications in minimally-invasive total knee replacement 1462–5
Robertsson O. Knee arthroplasty registers 1–4
Robertsson O, Stefánsdóttir A, Lidgren L, Ranstam J. Increased long-term mortality in patients less than 55 years old who have undergone knee replacement for osteoarthritis 599–603
Robinson CM *see* Watts AC
Robinson KP, Carroll FA, Bull MJ, McClelland M, Stockley I. Transient femoral nerve palsy associated with a synovial cyst of the hip in a patient with spinal cord injury (case report) 107–8
Roche S. Methicillin-resistant *Staphylococcus aureus* in an Irish orthopaedic centre (correspondence) 142
Rodriquez-Merchan EC. Total knee replacement in haemophilic arthropathy 186–8
Rogers K *see* Murray DW
Rollinson PD *see* Nunn TR
Ross R *see* Ross R
Ross R, Mirza AH, Norris HE, Khatri M.
Survival and clinical outcome of SB Charité III disc replacement for back pain 785–9
Survival and clinical outcome of SB Charité III disc replacement for back pain (correspondence) 1673–4, 1674–5
Rouleau D *see* Benoit B
Roussanne Y *see* Cesar M
Roy AG *see* Vendittoli P-A
Ruszymah BHI *see* Munirah S
Ruzzini L *see* Franceschi F
Rydholm A *see* von Steyern F
Rymaszewski LA *see* Sharma S

S

Sadiq S *see* Chitre AR
Sadun A *see* Lamdan R

Saijilafu *see* Hara Y
Sairyo K *see* Hibino N
Saisu T *see* Nakamura J
Sakai Y *see* Oe K
Sakurakichi K *see* Watanabe K
Sales JR, Beals RK, Hart RA. Osteoarthritis of the costovertebral joints 1336–9
Samsudin OC *see* Munirah S
Sandher DS, Al-Jibury M, Paton RW, Ormerod LP. Bone and joint tuberculosis 1379–81
Sano M *see* Funahashi S
Sano T *see* Hibino N
Saris DBF *see* Auw Yang KG
Sasaki M *see* Wada T
Sato Y *see* Sugano N
Saudan M, Saudan P, Perneger T, Riand N, Keller A, Hoffmeyer P. Celecoxib *versus* ibuprofen in the prevention of heterotopic ossification following total hip replacement 155–9
Saudan P *see* Saudan M
Sauvé P, Mountney J, Khan T, De Beer J, Higgins B, Grover M. Metal ion levels after metal-on-metal Ring total hip replacement 586–90
Savva N, Saxsby TS. *In situ* arthrodesis with lateral-wall ostectomy for the sequelae of fracture of the os calcis 919–24
Saxby TS *see* Savva N
Scadden JE *see* Church JS
Scaduto JM *see* Herscovici D Jr
Schemitsch E *see* Davis ET
Schindeler A *see* Little DG
Schirm A *see* Jeffcote B
Schleck CD *see* Rispoli DM
Schneider E *see* Hammer TO; Thiele OC
Schneider W *see* Knahr K
Schock HJ, Pinzur M, Manion L, Stover M. The use of gravity or manual-stress radiographs in the assessment of supination-external rotation fractures of the ankle 1055–9
Schreurs BW *see* van der Pol GJ
Schroeder H *see* Houshian S
Schwieger K *see* Krause F
Scott-Young MN. Survival and clinical outcome of SB Charité disc replacement for back pain (correspondence) 1674
Seel EH, Davies EM. A biomechanical comparison of kyphoplasty using a balloon bone tamp *versus* an expandable polymer bone tamp in a deer spine model 253–7
Sei A *see* Ishii I
Sela Y *see* Peyser A
Sen C *see* Piskin A
Seong SC *see* Chang CB; Park KK
Serra M *see* Bacci G
Sethi A *see* Vaidya R
Shamir MY *see* Lamdan R
Shand JEG *see* Auyeung J
Shannon FJ, Cronin JJ, Cleary MS, Eustace SJ, Byrne JM. The posterior cruciate ligament-preserving total knee replacement: do we 'preserve' it? 766–71
Sharifah Salmah SH *see* Munirah S
Sharma A *see* Lakshmanan P
Sharma H *see* Maheshwari R
Sharma H, Kelly MP. Acute near-fatal necrotising fasciitis complicating a primary total hip replacement 959–60
Sharma S, Rymaszewski LA. Open arthrolysis for post-traumatic stiffness of the elbow 778–81
Sharp RJ *see* Jackson WFM
Sheldon P *see* Nixon M
Shetty AP *see* Rajeskaran S
Shimmin AJ *see* Hing CB
Shin S-J *see* Yun Y-H
Shino K *see* Yamada Y
Shinomiya K *see* Suzuki K
Siapkara A, Duncan R. Congenital talipes equinovarus 995–1000
Sierra RJ *see* Dora C
Simison AJM *see* Ramamurthy C
Simmen BR *see* Kolling C
Simmons D *see* Bassi RS
Simpson AHRW *see* Gaston MS
Simpson AHRW, Dave J, Cookson B. The value of routine screening of staff for MRSA (editorial) 565–6
Siney PD *see* Wroblewski BM
Singh PJ, Perera NS, Dega R. Measurement of the dose of radiation to the surgeon during surgery to the foot and ankle 1060–3
Singh R *see* Arya AP
Sinisi M *see* Nawabi DH
Sinsheimer J *see* McDonnell SM
Skinner JA *see* Cohen AT
Skinner JAM *see* Bhadra AK
Skipor AK *see* De Haan R
Sloan K *see* Spencer JM
Smith LK, Williams DH, Langkamer VG. Post-operative blood salvage with autologous retransfusion in primary total hip replacement 1092–7
Smith R, Wood PLR. Arthrodesis of the ankle in the presence of a large deformity in the coronal plane 615–19
Smith SR *see* Matthews TJW
Søballe K *see* Jensen TB
Söderqvist A *see* Blomfeldt R
Somanchi BV *see* Rajpura A
Someya M *see* Nakamura J
Sommer C *see* von Knoch F
Song HR *see* Lee ST
Sonne-Holm S *see* Gosvig KK
Sonoda T *see* Wada T
Spencer JM, Chauhan SK, Sloan K, Taylor A, Beaver RJ. Computer navigation *versus* conventional total knee replacement 477–80
Spencer RF *see* Khan A; Webb JCJ
Sperling JW *see* Rispoli DM
Spooner D *see* Kalra S

Stalley PD *see* Krieg AH
Stanley JK *see* Bassi RS; Ramamurthy C
Stefánsdóttir A *see* Robertsson O
Steffen R, O'Rourke K, Gil HS, Murray DW. The anterolateral approach leads to less disruption of the femoral head-neck blood supply than the posterior approach during hip resurfacing 1293–8
Stevanovic MV *see* Ogawa BK
Stirrat AN *see* Khunda A
Stockley I *see* Konangamparambath S; Robinson KP
Stover M *see* Schock HJ
Strauss EJ, Frank JB, Walsh M, Koval KJ, Egol KA. Does obesity influence the outcome after the operative treatment of ankle fractures? 794–8
Street JT *see* Laing AJ
Sturm PDJ *see* van der Pol GJ
Sudkamp NP *see* Konrad GG
Südkamp NP *see* Hammer TO
Sugamoto K *see* Arimitsu S; Yamada Y
Sugano N, Nishii T, Miki H, Yoshikawa H, Sato Y, Tamura S. Mid-term results of cementless total hip replacement using a ceramic-on-ceramic bearing with and without computer navigation 455–60
Suh KT *see* Lee JS
Suh KT, Lee SS, Kim SJ, Kim YK, Lee JS. Pineal gland metabolism in patients with adolescent idiopathic scoliosis 66–71
Suh SW *see* Lee ST
Sullivan PJ *see* Hirpara KM
Sumi Y *see* Nagura I
Sundararaj GD, Babu N, Amritanand R, Venkatesh K, Nithyananth M, Cherian VM, Lee VN. Treatment of haematogenous pyogenic vertebral osteomyelitis by single-stage anterior debridement, grafting of the defect and posterior instrumentation 1201–5
Sundararajan SR *see* Rajeskaran S
Sunderamoorthy D. Methicillin-resistant *Staphylococcus aureus* in an Irish orthopaedic centre (correspondence) 141
Suzuki K, Kawachi S, Matsubara M, Morita S, Jinno T, Shinomiya K. Cementless total hip replacement after previous intertrochanteric valgus osteotomy for advanced osteoarthritis 1155–7
Suzuki S *see* Tsuboi M
Symeonidis PD *see* Petsatodis G
Szczepanski T *see* Bielecki TM

T

Takebayashi T *see* Mizuno S
Tamura S *see* Sugano N
Tang TT, Lu B, Yue B, Xie XH, Xie YZ, Dai KR, Lu JX, Lou JR. Treatment of osteonecrosis of the femoral head with hBMP-2-gene-modified tissue-engineered bone in goats 127–32
Tani T *see* Ikeuchi M
Tanimoto K *see* Mizuno S
Tao Y *see* Zhen-Sheng M
Taylor A *see* Spencer JM
Taylor G *see* Nixon M
Tayton E. Femoral anteversion 1283–8
Tayton L. Does the upper femoral epiphysis slip or rotate? 1402–6
te Slaa RL *see* Berendes TD
Tesch NP *see* Grechenig W
Thiele OC, Eckhardt C, Linke B, Schneider E, Lill CA. Factors affecting the stability of screws in human cortical osteoporotic bone 701–5
Thomazeau H *see* Albert J-D
Thompson NW *see* Hanratty BM
Thomsen M *see* Kasten P
Thorngren K-G *see* Tsuboi M
Tidermark J *see* Blomfeldt R
Tidwell MA *see* Price AE
Tillman RM *see* Grimer RJ; Jeys LM; Kalra S; Myers GJC
Tirabosco RP *see* Bhadra AK
Toh S *see* Omi H
Tohse N *see* Mizuno S
Tohyama H, Yasuda K, Uchida H, Nishihira J. The responses of extrinsic fibroblasts infiltrating the devitalised patellar tendon to IL-1β are different from those of normal tendon fibroblasts 1261–7
Tokgozoglu AM *see* Atilla B
Toma CD, Machacek P, Bitzan P, Assadian O, Trieb K, Wanivenhaus A. Fusion of the wrist in rheumatoid arthritis 1620–6
Tomak L *see* Piskin A
Tomak Y *see* Piskin A
Tomita K *see* Tsuchiya H; Watanabe K
Toritsuka Y *see* Yamada Y
Törnkvist H *see* Blomfeldt R
Tosounidis T *see* Hadjipavlou A
Trail IA *see* Bassi RS; Ramamurthy C
Treacy RBC *see* McBryde CW
Triclot P, Grosjean G, El Masri F, Courpied JP, Hamadouche M. A comparison of the penetration rate of two polyethylene acetabular liners of different levels of cross-linking 1439–45
Trieb K *see* Toma CD
Trikha V *see* Khan SA
Trnka HJ *see* Hofstaetter SG
Tryfonidis M *see* Jackson WFM
Tsiridis E *see* Giannoudis PV
Tsiridis E, Upadhyay N, Gamie Z, Giannoudis PV. Percutaneous screw fixation for sacral insufficiency fractures (case report) 1650–3
Tsuboi M, Hasegawa Y, Suzuki S, Wingstrand H, Thorngren K-G. Mortality and morbidity after hip fracture in Japan 461–6
Tsuchiya H *see* Watanabe K
Tsuchiya H, Morsy AF, Matsubara H, Watanabe K, Abdel-Wanis ME, Tomita K. Treatment of benign bone tumours using external fixation 1077–83
Tsumara H *see* Kumagi M
Tudor-Williams G *see* Mitchell PD

Tuke MA *see* Lusty PJ
Turibio FM *see* Warwick D
Tursin PS *see* Gorodetskyi IG
Tzioupis C *see* Giannoudis PV
Tzioupis CC *see* Giannoudis PV

U

Uchida H *see* Tohyama H
Uchida K *see* Kumagi M
Udofia I, Liu F, Jin Z, Roberts P, Grigoris P. The initial stability and contact mechanics of a press-fit resurfacing arthroplasty of the hip 549–56
Ueta E *see* Ikeuchi M
Unwin P *see* Wong KC
Upadhyay N *see* Tsiridis E
Uppal HS, Gwilym SE, Crawfurd EJP, Birch R. Sciatic nerve injury caused by pre-operative intraneural injection of local anaesthetic during total hip replacement (case report) 242–3
Urban JPG *see* Matthews TJW
Uskov ON *see* Gorodetskyi IG
Uvehammer J, Kärrholm J, Carlsson L. Cemented *versus* hydroxyapatite fixation of the femoral component of the Freeman-Samuelson total knee replacement 39–44

V

Vaidya R, Weir R, Sethi A, Meisterling S, Hakeos W, Wybo CD. Interbody fusion with allograft and rhBMP-2 leads to consistent fusion but early subsidence 342–5
van der Meulen JH *see* Baker PN
van der Pol GJ, Sturm PDJ, van Loon CJ, Verhagen C, Schreurs BW. Microbiological cultures of allografts of the femoral head just before transplantation 1225–8
van Geenen RCI, Besselaar PP. Outcome after corrective osteotomy for malunited fractures of the forearm sustained in childhood 236–9
van Glabbeek F *see* van Riet RP
van Griensven M *see* Giannoudis PV
van Haaren EH, Heyligers IC, Alexander FGM, Wuisman PIJM. High rate of failure of impaction grafting in large acetabular defects 296–300
van Loon CJ *see* van der Pol GJ
van Riet RP, van Glabbeek F, de Weerdt W, Oemar J, Bortier H. Validation of the lesser sigmoid notch of the ulna as a reference point for accurate placement of a prosthesis for the head of the radius 413–16
Varshney MK *see* Khan SA
Vashista GN. Infection in knee replacements after previous injection of intra-articular steroid (correspondence) 422–3
Vega MV *see* Alcantara-Martos T
Veitch S, Blake SM, David H. Proximal scaphoid rib graft arthroplasty 196–201
Vendittoli P-A, Ganapathi M, Lavigne M. Blood and urine metal ion levels in young and active patients after Birmingham hip resurfacing arthroplasty (correspondence) 989
Vendittoli P-A, Mottard S, Roy AG, Dupont C, Lavigne M. Chromium and cobalt ion release following the Durom high carbon content, forged metal-on-metal surface replacement of the hip 441–8
Venkatesh K *see* Sundararaj GD
Verbout AJ *see* Auw Yang KG
Verburg H *see* Berendes TD
Verhagen C *see* van der Pol GJ
Villar RN *see* Haene RA
Virani N *see* Levy JC
Visuvanathan S *see* Anwar HA
Vollset SE *see* Hallan G
von Knoch F, Reckord U, von Knoch M, Sommer C. Fracture of the lateral process of the talus in snowboarders 772–7
von Knoch M *see* von Knoch F
Von Meibom N, Gilson N, Dhapre A, Davis B. Operative delay for fracture of the hip 77–9
von Steyern F, Kristiansson I, Jonsson K, Mannfolk P, Heinegård D, Rydholm A. Giant-cell tumour of the knee 361–5

W

Wada T, Kawai A, Ihara K, Sasaki M, Sonoda T, Imaeda T, Yamashita T. Construct validity of the Enneking score for measuring function in patients with malignant or aggressive benign tumours of the upper limb 659–63
Waddell JP *see* Davis ET
Wakeley CJ *see* Barnett AJ; Mulford JS
Walch G *see* Lunn JV
Walker N *see* Ward NJ
Wallace WH *see* Foster L
Walsh M *see* Strauss EJ
Walter WK *see* Lusty PJ
Walter WL *see* Lusty PJ
Wang JH *see* Laing AJ
Wanivenhaus A *see* Toma CD
Ward BD *see* Hembree WC
Ward K *see* Nelson D
Ward NJ, Wilde GP, Jackson WFM, Walker N. Compartment syndrome following ankle sprain (case report) 953–5
Warwick D.
Insufficient duration of venous thromboembolism prophylaxis after total hip or knee replacement when compared with the time course of thromboembolic events (correspondence) 1409
see also Cohen AT
Warwick D, Friedman RJ, Agnelli G, Gil-Garay E, Johnson K, FitzGerald G, Turibio FM. Insufficient duration of venous thromboembolism prophylaxis after total hip or knee replacement when compared with the time course of thromboembolic events 799–807
Watanabe K *see* Tsuchiya H

Watanabe K, Tsuchiya H, Sakurakichi K, Tomita K. Bone transport using hydroxyapatite loaded with bone morphogenetic protein in rabbits 1122–9
Watson A *see* Lusty PJ
Watts AC, Morris A, Robinson CM. Fractures of the distal humeral articular surface 510–15
Webb JCJ, Spencer RF. The role of polymethylmethacrylate bone cement in modern orthopaedic surgery 851–7
Weber M *see* Krause F
Wegner A *see* Bottner F
Wehrli U *see* Christen B
Weil YA *see* Peyser A
Weir R *see* Vaidya R
Weiss S *see* Kasten P
Weitzel S *see* Lee RS
While T *see* Barakat MJ
Whitehouse MR. A study of the Elite Plus femoral component using radiostereometric analysis (correspondence) 1270
Whitley E *see* Ramiah RD
Wick M *see* Kaminski A
Wieling R *see* Hammer TO
Wielkoszynski T *see* Bielecki TM
Wilde GP *see* Ward NJ
Wilkinson JM *see* Konangamparambath S
Williams DH *see* Smith LK
Williams KA *see* Church JS
Wilson RK *see* Hanratty BM; Molloy DO
Wimhurst JA *see* Howie DW
Windisch G *see* Grechenig W
Windolf M *see* Krause F
Wingstrand K-G *see* Tsuboi M
Winkelmann W *see* Bottner F
Wolterbeek R *see* Berendes TD
Wong KC, Kumta SM, Chiu KH, Antonio GE, Unwin P, Leung KS. Precision tumour resection and reconstruction using image-guided computer navigation 943–7
Wong MK *see* Goh S-K
Wood PLR *see* Smith R
Wotherspoon A *see* Aarvold A
Wroblewski BM. In-cement technique of revision hip arthroplasty (correspondence) 1410
Wroblewski BM, Siney PD, Fleming PA. Charnley low-friction arthroplasty 1015–18
Wuisman PIJM *see* van Haaren EH
Wybo CD *see* Vaidya R
Wymenga A *see* Christen B
Wymenga AB *see* Koëter S

X

Xie XH *see* Tang TT
Xie YZ *see* Tang TT

Y

Ya'ish FMM, Cooper JP, Craigen MAC. Thermometric diagnosis of peripheral nerve injuries 933–9
Yamada Y, Toritsuka Y, Horibe S, Sugamoto K, Yoshikawa H, Shino K. *In vivo* movement analysis of the patella using a three-dimensional computer model 752–60
Yamada Y, Toritsuka Y, Yoshikawa H, Sugamoto K, Horibe S, Shino K. Morphological analysis of the femoral trochlea in patients with recurrent dislocation of the patella using three-dimensional computer models 746–51
Yamamoto T *see* Ikemura S
Yamanaka N *see* Ikeuchi M
Yamashita T *see* Mizuno S; Wada T
Yang KY *see* Goh S-K
Yasuda K *see* Tohyama H
Yasui N *see* Hibino N
Yates P *see* Khan A
Yaylali I *see* Price AE
Yazici M *see* Eren A
Yokoyama K. Acute shortening and re-lengthening in the management of bone and soft-tissue loss in complicated fractures of the tibia (correspondence) 846
Yong-Hua W *see* Zhen-Sheng M
Yoo M-C *see* Lian Y-Y
Yoon KS *see* Han HS
Yoon P *see* Molloy AP
Yoon S-H *see* Kim Y-H
Yoshikawa H *see* Arimitsu S; Sugano N; Yamada Y
Yoshitomi H *see* Ito H
Young D *see* Jones BG
Young DA *see* Hing CB
Yue B *see* Tang TT
Yukata K *see* Hibino N
Yun Y-H, Shin S-J, Moon J-G. Reverse V osteotomy of the distal humerus for the correction of cubitus varus 527–31

Z

Zaragoza E *see* Beaulé PE
Zeifang F *see* Kasten P
Zenios M *see* Nelson D
Zhang X, Duan L, Li Z, Chen X. Callus distraction for the treatment of acquired radial club-hand deformity after osteomyelitis 1515–18
Zhang X, Liu T, Li ZS, Peng W. Reconstruction with callus distraction for nonunion with bone loss and leg shortening caused by suppurative osteomyelitis of the femur 1509–14
Zhen-Sheng M, Hong-Ju Z, Tao Y, Gang R, Guo-Sheng D, Yong-Hua W. The OrthoChina Project 717–20
Ziaee H *see* Daniel J
Ziaee H, Daniel J, Datta AK, Blunt S, McMinn DJW. Transplacental transfer of cobalt and chromium in patients with metal-on-metal hip arthroplasty 301–5
Zicat B *see* Lusty PJ
Zura RD *see* Hembree WC

Subject index

A

Acclaim elbow replacement, early results 486–9
acetabular components
complete revision *versus* isolated acetabular liner exchange 591–4
orientation and wear, in third generation alumina-on-alumina ceramic bearings 1158–64
polyethylene, wear analysis for failed components 273–9
position, fate of femoral head autografts in THR for acetabular dysplasia 874–8
acetabular dysplasia
long-term, value of immediate MRI after reduction of hip for prediction of 948–52
position of acetabular component, fate of femoral head autografts in THR for 874–8
acetabular labral debridement, failed arthroscopic, treatment by femoral chondro-osteoplasty 595–8
acetabular labral tears, hip dysplasia and 1289–92
acetabular liners
cross-linked polyethylene, retrieval analyses after four and five years 1036–41
isolated exchange, *versus* complete acetabular component revision in revision of primary uncemented acetabular components 591–4
polyethylene liners, penetration rate of liners of different levels of cross-linking 1439–45
acetabular wall, medial, circumferential osteotomy, for THR for sequelae of childhood septic arthritis 1149–54
acetabuloplasty, for neglected dislocation of hip in older children 372–4
acetabulum
bone mineral density changes after cementless THR 174–9
fractures
comminuted posterior-wall, two-level reconstruction 503–9
value of specific radiological features in classification 72–6
large defects, failure rates of impacting grafting 296–300
percutaneous fixation 145–54
revision, iliopsoas impingement after THR 1031–5
Achilles tendon
early history 545–7
rupture, history 545–7
achondroplasia, genu varum development 57–61
adamantinoma, tibia, with late skeletal metastasis 388–9 (case report)
adolescents
musculoskeletal injuries from football 5–8
pineal gland metabolism in idiopathic scoliosis 66–71
AGC knee, moulded monoblock *versus* modular tibial components, survival comparison in rheumatoid arthritis 609–14
air embolus, during arthrography of hip in infant 240–1 (case report)
alcohol, effect on fracture healing 1553–60
alendronate
low-dose, bone mineral density increase during distraction osteogenesis 984–8
subtrochanteric insufficiency fractures associated with 349–53
alumina-on-alumina ceramic bearings, orientation and wear of acetabular component 1158–64
amputation, bilateral in HIV-positive patient, for multifocal *Proteus mirabilis* osteomyelitis 249–51 (case report)
anabolic responses, in bone repair 425–33
anaemia, effect on fracture healing 1553–60
anaesthetic, local *see* local anaesthetic
aneurysmal bone cysts, of distal fibula in children 1356–62
ankle
arthrodesis in presence of large deformity in coronal plane 615–19
fractures
of medial malleolus, conservative treatment 89–93
obesity effect on outcome after operative treatment 794–8
plaster cast and incidence of deep-vein thrombosis 1340–3
supination-external rotation, use of gravity or manual-stress radiographs 1055–9
joint pressure in pes cavovarus 1660–5
lateral instability, calcaneocuboid joint dislocation presenting as 1247–8 (case report)
sprain, compartment syndrome after 953–5 (case report)
surgery, measurement of dose of radiation to surgeon during 1060–3
total replacement, failure, arthrodesis after 1178–83
anterior cruciate ligament, reconstruction
revision 1051–4
using autologous double hamstrings 1165–71
antibacterial action, autologous platelet gel enriched with growth factors 417–20

antibiotics, effect on fracture healing 1553–60
anticoagulants, effect on fracture healing 1553–60
anti-COX-2 agents, effects of short-term administration of low doses on fracture healing 1253–60
apoptosis, chondrocytes
in osteochondral fragments after joint trauma 1388–95
in regenerated cartilage after allogenic chondrocyte transplantation 977–83
arm *see* upper limb
arthritis
glenohumeral, use of reverse shoulder prosthesis for failed hemiarthroplasty 189–95
patellofemoral, Avon patellofemoral arthroplasty for 310–15
septic, circumferential osteotomy of medial acetabular wall for THR for 1149–54
tuberculous, of knee, *Staphylococcus aureus* superinfection 664–6 (case report)
arthrodesis
after failed total ankle replacement 1178–83
ankle, in presence of large deformity in coronal plane 615–19
hindfoot for valgus deformity 925–7
hip, intertrochanteric fracture 390–2 (case report), 706 (erratum)
in situ, with lateral-wall ostectomy for sequelae of os calcis fractures 919–24
wrist, in rheumatoid arthritis, surgical techniques 1620–6
arthrography, of hip, air embolus in infant 240–1 (case report)
arthrolysis, open, for post-traumatic stiffness of elbow 778–81
arthropathy, haemophilic, total knee replacement 186–8
arthroplasty
ankle, failure, arthrodesis after 1178–83
elbow *see* elbow
follow-up with general practitioners 1133–4
hip *see* hip arthroplasty
knee *see* knee arthroplasty
lower limb, prophylaxis and treatment of heterotopic ossification 434–40
potential toxicity of orthopaedic metals 567–73
proximal scaphoid rib graft 196–201
resection
osteoarthritis of costovertebral joints 1336–9
of shoulder, pain relief and functional results 1184–7
resurfacing, of hip *see* hip resurfacing
reverse shoulder, three-/four-part fractures of proximal humerus in elderly treated by 516–20
rib osteochondral replacement, for deficiency of proximal pole of scaphoid 196–201
total, markers of peri-prosthetic infections 94–9
arthroscopic surgery
acetabular labral debridement, failed, treatment by femoral chondro-osteoplasty 595–8
open surgery *versus* for stabilisation of chronic shoulder instability 1188–96
shoulder stabilisation, pre-operative score for patient selection 1470–7
synovectomy, removal of loose bodies and biceps tenodesis for synovial chondromatosis of shoulder 1329–35
treatment of femoroacetabular impingement secondary to paediatric hip disorders 1025–30
arthroscopy, wrist, visualisation of pisotriquetral joint through standard portals 202–5
arthrotomy, TKR *versus* quadriceps-sparing method, outcome and complications rate 467–70
articular cartilage *see* cartilage
atypical mycobacterial spondylitis, in HIV-negative patients, genotyping 346–8
autogenous bone graft, extracorporeal irradiated, intercalary femoral reconstruction in limb-salvage surgery 366–71
autologous platelet gel, enriched with growth factors, antibacterial effect 417–20
avascular necrosis *see* osteonecrosis
Avon patellofemoral arthroplasty 310–15
axillary artery, injury, as complication of fixation using locking plate 1519–21 (case report)

B

back pain, SB Charité III disc replacement for, survival and clinical outcome 785–9, Spine 1673–5 (correspondence)
bacterial growth, effects of metal ions in solution from hip replacements 1655–9
balloon bone tamp, expandable polymer bone tamp *versus* in kyphoplasty (deer spine model) 253–7
balloon kyphoplasty
balloon bone tamp *versus* expandable polymer bone tamp (deer spine model) 253–7
as single *versus* adjunct procedure for vertebral haemangioma management 495–502
Bankart procedure, open modified, outcome follow-up 1064–8

Bernese periacetabular osteotomy, treatment of developmental dysplasia of hip 721–4
biceps
long head, pathology 1001–9
selective tenodesis, in synovial chondromatosis of shoulder 1329–35
Birmingham Hip Resurfacing arthroplasty
accuracy of image-free computer navigation in femoral component placement 557–60
blood/urine metal ion levels in young and active patients after 169–73, 989–90 (correspondence)
narrowing of femoral neck 1019–24
radiostereometric follow-up 1140–3
results, prospective review 1431–8
birth injuries
brachial plexus, medial rotation deformity, botulinum toxin type A as adjunct to surgical treatment 327–9
brachial plexus palsy *see* brachial plexus palsy
blood
flow to femoral head, during resurfacing 21–5
loss, effect of topical fibrin spray *versus* tranexamic acid, after TKR 306–9
salvage, post-operative, with autologous retransfusion in primary THR 1092–7
supply, femoral head-neck, anterolateral approach *versus* posterior approach during hip resurfacing 1293–8
transfusion, autologous, in primary THR 1092–7
body mass index, fracture of hydroxapatite-ceramic-coated JRI-Furlong femoral component 742–5
bone
allograft
applications, benefits and methods 574–9
morcellised, fixation of implants increased by osteogenic protein-1 121–6
cysts
aneurysmal, of distal fibula in children 1356–62
unicameral, steroid injection *versus* autologous bone marrow grafting 222–6
graft
extracorporeal irradiated autogenous, intercalary femoral reconstruction in limb-salvage surgery 366–71
non-vascular, for nonunion of scaphoid, factors affecting outcome 627–32
vibration-assisted compaction, in femur 686–92
healing *see* fractures, healing
loss
management in complicated tibial fractures 80–8, 846–7 (correspondence)
reconstruction for nonunion of femur due to suppurative osteomyelitis 1509–14
processing for allografts 574–9
quality, prediction of loosening of cemented THR 1303–8
remodelling
in acetabulum and proximal femur after cementless THR 174–9
suppression with alendronate, subtrochanteric insufficiency fractures associated with 349–53
repair
anabolic and catabolic responses 425–33
see also fractures, healing
sarcoma, radiation-induced 808–13
sources for allografts 574–9
tuberculosis, cases from 1988-2005 (Blackburn) 1379–81
tumours *see* bone tumours
bone cement *see* cement
bone marrow
grafting, autologous, steroid injections versus, for unicameral bone cysts 222–6
provascular response, to musculoskeletal trauma 116–20
bone marrow stromal cell implantation, treatment of refractory tibial nonunion 1382–6 (case report)
bone mineral density
changes in acetabulum and proximal femur after cementless THR 174–9
increased by low-dose alendronate, during distraction osteogenesis 984–8
bone morphogenetic protein
BMP-7, recombinant human (RhBMP-7), healing accelerated in distal tibial fractures by 265–72
hBMP-2-gene-modified tissue-engineered bone, treatment of osteonecrosis of the femoral head 127–32, 421 (erratum)
hydroxyapatite loaded with, bone transport using 1122–9
rhBMP-2, interbody fusion with allograft with, consistent fusion but early subsidence 342–5
bone substitute, hydroxyapatite loaded with bone morphogenetic protein, bone transport using 1122–9
bone tamp, balloon *versus* expandable polymer in kyphoplasty (deer spine model) 253–7
bone tumours
benign, treatment using external fixation 1077–83
cementless fixation of megaprostheses using conical fluted stem 1084–7
endoprosthetic replacement of distal femur 521–6, 706 (erratum)
endoprosthetic replacement of distal humerus 1498–503

endoprosthetic replacement of proximal tibia, long-term results 1632–7
massive endoprosthetic replacement, risks/benefits of radiotherapy 1352–5
reconstruction after resection with non-vascularised fibular grafts 215–21
sarcoma, radiation-induced 808–13
see also osteosarcoma

Bonney, George, obituary 1268–9

Book Reviews

Advanced reconstruction: hip (Lieberman and Berry) 1412
Atlas of pediatric orthopaedic surgery (Morrissey and Weinstein) 424
Burkhart's view of the shoulder: a cowboy's guide to advanced shoulder arthroscopy (Burkhart et al) 143
Challenging cases in spine surgery (Abdullah and Marzouk) 283
Classifications and scores of the shoulder (Habermeyer et al) 1132
Complications of spine surgery: treatment and prevention (An and Jenis) 283
The evidence for orthopaedic surgery (Limb and Hay) 991
Examination of peripheral nerve injuries: an anatomical approach (Russell) 848
Examination of the shoulder: the complete guide (McFarland) 143
The guide to the handling of people (Smith) 848
Handbook of fractures (Koval and Zuckerman) 1272
Imaging of soft tissue tumors (Kransdorf and Murphey) 991–2
Imaging of the hip & bony pelvis: techniques and applications (Davies et al) 144
Imaging strategies for the knee (Maeurer) 564
Instructional course lectures, shoulder and elbow (Warner) 1272
Instructional course lectures, volume 55 (Light) 144
Knee arthroplasty handbook: techniques in total knee and revision arthroplasty (Scuderi and Tria) 1411
Lovell and Winter's pediatric orthopaedics (Morrissey and Weinstein) 424
Minimally invasive plate osteosynthesis (MIPO): concepts and cases presented by AO East Africa (Tong and Bavonratanavech) 1412
Orthopaedic knowledge update: spine (Spivak and Connolly) 564
Orthopaedic surgery essentials: sports medicine (Schepsis and Busconi) 991
Oxford handbook of rheumatology (Hakim et al) 284
Posterolateral knee injuries: anatomy, evaluation and treatment (LaPrade) 1551–2
Practical procedures in orthopaedic trauma surgery: a trainee's companion (Giannoudis and Pape) 1676
Rang's children's fractures (Wenger and Pring) 848
Shoulder arthroplasty (Bigliani and Flatow) 143
Spinal trauma: an imaging approach (Cassar-Pullicino and Imhof) 1132
Sports injuries of the knee: surgical approaches (Simonian et al) 1551
Staying out of trouble in pediatric orthopaedics (Skaggs and Flynn) 144
Step by step: basics of knee arthroscopy (Mittal) 284
Surgery of the foot and ankle (Coughlin et al) 1676
Surgical techniques for the knee (Cushner et al) 564
Surgical techniques in sports medicine (El Attrache et al) 1676
The trouble with medical journals (Smith) 1411
Unicompartmental arthroplasty with the Oxford knee (Goodfellow et al) 283
Wrist surgery, tricks of the trade (Baratz et al) 1132

botulinum toxin type A, treatment of medial rotation deformity of shoulder in birth injuries of brachial plexus 327–9

brachial plexus
benign solitary schwannoma 382–7
birth injuries, medial rotation deformity, botulinum toxin type A as adjunct to surgical treatment 327–9

brachial plexus palsy
shoulder abduction improvement after reconstructive soft-tissue procedures 620–6
surgical correction of medial rotation contracture 1638–44

C

calcaneocuboid joint, dislocation, presentation as lateral ankle instability 1247–8 (case report)

calcaneum, symptomatic nonunion after fractures 1218–24

calcifying tendinitis, of rotator cuff, high-energy extracorporeal shock-wave therapy 335–41

calcium sulphate, treatment of refractory tibial nonunion 1382–6 (case report)

callus distraction
reconstruction for nonunion with bone loss due to suppurative osteomyelitis of femur 1509–14
treatment of acquired radial club-hand deformity after osteomyelitis 1515–18

callus formation
effect of re-implanted particles from intramedullary reaming on mechanical properties 1534–8

during healing of repaired tendon-bone junction 1539–44
carpal deformity, in rheumatoid wrist, 3D quantitative analysis 490–4
cartilage
healing of full-thickness defects using fibroblast growth factor-2 and fibrin sealant 693–700
regenerated, chondrocyte apoptosis after allogenic chondrocyte transplantation 977–83
restoration, in load-bearing osteochondral defects by implantation of autologous chondrocyte-fibrin constructs 1099–109
catabolic responses, in bone repair 425–33
cavovarus foot deformity, ankle joint pressure 1660–5
cefuroxime, blood flow to femoral head during resurfacing, surgical approach affect 21–5
celecoxib, ibuprofen *versus* in heterotopic ossification prevention after THR 155–9
cement
cartilage condition after in giant-cell tumour of knee 361–5
penetration and stability of femoral component after impaction autografting 962–70
polymethylmethacrylate, role in orthopaedic surgery 851–7
vacuum-mixing, porosity in cemented femoral stems 1115–21
cement–bone interface
temperature recording, hip resurfacing 16–20
temperature reduction method 16–20
cemented collarless double-taper femoral components, for revision hip replacement 879–86
cemented fixation, hydroxyapatite fixation of femoral component based on Freeman-Samuelson design *versus* 39–44
cemented hip arthroplasty, bone quality predictive of loosening 1303–8
'cement-in-cement'
revision of total hip arthroplasty, fractures of Corin 'Taper-Fit' CDH stems 393–5 (case report)
cementless total hip replacement
after intertrochanteric valgus osteotomy for advanced osteoarthritis 1155–7
bone mineral density changes in acetabulum and proximal femur after 174–9
ceramic-on-ceramic bearing with/without computer navigation, mid-term results 455–60
cementless total knee replacement, cemented *versus*, survival 1608–14
central nervous system, repair in 1413–20
ceramic-on-ceramic bearing couple, in cementless THR with/without computer navigation, mid-term results 455–60
cerebral palsy
bilateral hip reconstruction 1363–8
mobility assessment after multi-level surgery for 993–4
outcome of single-event multilevel surgery 1088–91
cervical laminoplasty, alternating, for cervical spondylotic myelopathy 639–41
cervical spondylotic myelopathy, alternating cervical laminoplasty for 639–41
Charnley components, posterior lip augmentation device for revision of recurrent dislocation after 1581–5
Charnley Elite, posterior lip augmentation device for revision of recurrent dislocation after 1581–5
Charnley Elite Plus
long-term survivorship of femoral component 449–54
radiostereometric analysis 730–5, 1270–1 (correspondence)
Charnley low-friction arthroplasty, of hip 1015–18
children
acetabuloplasty for neglected dislocation of hip 372–4
aneurysmal bone cysts of distal fibula 1356–62
correction of neglected idiopathic club foot by Ponseti method 378–81
displaced humeral supracondylar fractures treatment by pin leverage method 646–50
habitual patellar dislocation with patella alta, long-term outcome of surgery 1172–7
malunited fractures of forearm, outcome of corrective osteotomy 236–9
metacarpophalangeal joint dislocation of thumb 227–9
Panton-Valentine leukocidin-secreting *Staphylococcus aureus* causing musculoskeletal sepsis 1239–42
pyogenic sepsis of hip 100–6
septic arthritis, circumferential osteotomy of medial acetabular wall for THR for 1149–54
chondrocyte(s)
allogenic transplantation, chondrocyte apoptosis in regenerated cartilage 977–83
apoptosis, in regenerated cartilage after allogenic chondrocyte transplantation 977–83
genetic modification with insulin-like growth factor-1 672–85
viability and apoptosis, in osteochondral fragments after joint trauma 1388–95
chondrocyte–fibrin constructs, autologous, implantation for cartilage restoration in load-bearing osteochondral defects 1099–109
chondromatosis, synovial, of shoulder, arthroscopic synovectomy, loose body removal and selective biceps tenodesis 1329–35
chondro-osteoplasty, femoral, treatment of failed arthroscopic acetabular labral debridement 595–8

chondrosarcoma, synovial 1504–8
chromium
blood/urine levels, after Birmingham hip resurfacing in young/active patients 169–73, 989–90 (correspondence)
ion release after Durom high carbon content forged metal-on-metal surface replacement of hip 441–8
transplacental transfer, in patients with metal-on-metal hip arthroplasty 301–5
wear particles, effect of metal ions in solution *versus* (hip replacement) 1655–9
club foot
idiopathic
neglected, correction by Ponseti method 378–81
poor compliance with continuous passive movement after surgical treatment 375–7
Ponseti method of management, role of Pirani scoring system 561–2 (correspondence)
club-hand deformity, after osteomyelitis, callus distraction for treatment of 1515–18
cobalt
blood/urine levels, after Birmingham hip resurfacing in young/active patients 169–73, 989–90 (correspondence)
ion release after Durom high carbon content forged metal-on-metal surface replacement of hip 441–8
transplacental transfer, in patients with metal-on-metal hip arthroplasty 301–5
wear particles, effect of metal ions in solution *versus* (hip replacement) 1655–9
collateral ligaments, variation in strain and tibiofemoral forces after changes in flexion and extension gaps in TKR 1528–33
compartment syndrome
after ankle sprain 953–5 (case report)
evolution since 1948 as recorded in *Journal of Bone and Joint Surgery* 1280–2
complex regional pain syndrome
knee involvement 285–90
late development in isolated fracture of distal radius 1069–76
compression plate, percutaneous, *versus* compression hip screw for intertrochanteric fractures of hip 1210–17
compression stockings, graduated, use with fondaparinux in hip surgery 887–92
computer models
3D
in vivo movement analysis of patella 752–60
morphological analysis of femoral trochlea in recurrent dislocation of patella 746–51
position of combined component in prevention of impingement in THR 839–45
computer navigation
cementless THR using ceramic-on-ceramic bearing, mid-term results 455–60
image-free, accuracy in placement of femoral component of Birmingham Hip Resurfacing 557–60
precision tumour resection and reconstruction 943–7
total knee replacement, conventional method *versus* 477–80, 1130–1 (correspondence)
embolic phenomena 481–5
see also navigation
congenital dislocation of hip, 3D custom-designed cementless femoral stem use for osteoarthritis secondary to 1586–91
congenital talipes equinovarus, management 995–1000
contracture
flexion, proximal interphalangeal joint, gradual joint distraction by mini-external fixator 206–9
medial rotation in brachial plexus palsy, surgical correction 1638–44
Coonrad-Morrey semiconstrained total elbow replacement, outcome of peri-operative humeral condylar fractures, in rheumatoid arthritis 62–5
Copeland surface replacement, of shoulder 1466–9
Corin 'Taper-Fit' CDH stems, in 'cement-in-cement' revision of THR, fractures of 393–5 (case report)
Correspondence
acute shortening and re-lengthening in bone/soft-tissue loss management of complicated tibial fractures 846–7
blood/urine metal ion levels after Birmingham hip resurfacing arthroplasty 989–90
computer navigation *versus* conventional TKR 1130–1
deep prosthetic infections, incidence in specialist orthopaedic hospital 281–2
floating shoulder 708
Gustilo type-IIIA and type-IIIB open tibial fractures, score for predicting salvage and outcome 562–3
in-cement technique of revision hip arthroplasty 1410
infections after knee replacement after previous injection of intra-articular steroids 422–3
insufficient duration of venous thromboembolism prophylaxis after total hip or knee replacement 1409–10
MRSA in Irish orthopaedic centre 141–2
osteofibrous dysplasia of tibia 141 (correspondence)
Ponseti method of management of club foot, role of Pirani scoring system 561–2

radiostereometric analysis of Elite Plus femoral component 1270–1
SB Charité III disc replacement for back pain, survival and clinical outcome 1673–5
Weil osteotomy follow-up 280–1
cortical screws, factors affecting screw stability in osteoporosis 701–5
corticosteroids, effect on fracture healing 1553–60
costovertebral joints, osteoarthritis 1336–9
COX-2 inhibitors, ibuprofen *versus* in heterotopic ossification prevention after THR 155–9
C-reactive protein
marker of peri-prosthetic infections after total joint replacement 94–9
post-operative changes after posterior lumbar interbody fusion 1478–81
cruciate ligaments *see* anterior cruciate ligament; posterior cruciate ligament
Cruciate repair, biomechanical analysis of multistrand repairs with Silfverskiöld peripheral cross-stitch *versus* 1396–401
cruciate-sacrificing mobile-bearing implant, effect of posterior condylar offset on flexion after TKR 915–18
CT-based navigation system, cementless THR using ceramic-on-ceramic bearing, mid-term results 455–60
cubitus valgus, management using Ilizarov method 1615–19
cubitus varus
management using Ilizarov method 1615–19
reverse V osteotomy of distal humerus for 527–31
cysts
aneurysmal bone, of distal fibula in children 1356–62
synovial, of hip, transient femoral nerve palsy associated in spinal cord injury 107–8 (case report)
unicameral bone, steroid injection *versus* autologous bone marrow grafting 222–6

D

debridement
haematogenous pyogenic vertebral osteomyelitis 1201–5
minimal *versus* standard, ACL reconstruction using autologous double hamstrings 1165–71
treatment of failed arthroscopic acetabular labral debridement by femoral chondro-osteoplasty 595–8
wound irrigation in open fractures 580–5
deep spine model, balloon *versus* expandable polymer bone tamp in kyphoplasty 253–7
deep-vein thrombosis, incidence in patients with ankle fractures treated in plaster cast 1340–3
deformity index, as predictor of final radiological outcome of Perthes' disease 1369–74
developing countries, single-event multilevel surgery in cerebral palsy, outcome 1088–91
developmental dysplasia of hip
air embolus during arthrography in infant 240–1 (case report)
medium-term results of Bernese periacetabular osteotomy for 721–4
modified Salter osteotomy 1375–8
treatment using Pavlik harness 230–5, 707
diabetes mellitus, effect on fracture healing 1553–60
dislocation
anterior, of shoulder, non-operative treatment of large anterior glenoid rim fractures after 1347–51
calcaneocuboid joint, presentation as lateral ankle instability 1247–8 (case report)
locked bilateral posterior, of shoulder, one-stage operation 825–8 (case report)
metacarpophalangeal joint, of thumb, in children 227–9
patella
congenital, TKR for knee osteoarthritis with 1522–4 (case report)
habitual *see* patella
morphological analysis of femoral trochlea 746–51
of total hip replacement, surface damage of Oxinium femoral head 535–7 (case report)
distal humeral articular surface, fractures 510–15
duodenum, osteosarcoma metastases 542–4 (case report)
Durom resurfacing system, chromium and cobalt ion release 441–8

E

Editorial
follow-up of arthroplasties with GPs 1133–4
genetic predisposition to adverse outcome after trauma 1273–9
mobility assessment after multi-level surgery for cerebral palsy 993–4
NICE and influence on orthopaedic surgery 849–50
routine screening of staff for MRSA 565–6
elbow
flexion, restoration by nerve transfer for poliomyelitis-like paralysis due to enterovirus 71
infection 246–8 (case report)
Monteggia fractures in adults, long-term results and prognostic factors 354–60

post-traumatic stiffness, open arthrolysis 778–81
total replacement
Acclaim, early results 486–9
GSB III implant 330–4
outcome of peri-operative humeral condylar fractures, in rheumatoid arthritis 62–5

elderly
intracapsular fractures of femoral neck, bipolar hemiarthroplasty *versus* THR 160–5
occult fractures of hip and pelvic ring mutually exclusive 1344–6
three-/four-part fractures of proximal humerus treated by reverse shoulder arthroplasty 516–20

Elite Plus, Charnley *see* Charnley Elite Plus

emboli
air, during arthrography of hip in infant 240–1 (case report)
in total knee replacement, computer-assisted *versus* conventional method 481–5
see also venous thromboembolism

endoprosthetic replacement
of distal femur, for bone tumours 521–6, 706 (erratum)
of distal humerus, after bone tumour resection 1498–503
massive, in bone tumours, risks/benefits of radiotherapy 1352–5
of proximal tibia, for bone tumours, long-term results 1632–7

Enneking scores, validity, for measurement of function in tumours of upper limb 659–63

enterovirus 71 infection, poliomyelitis-like paralysis, shoulder function and elbow flexion restoration by nerve transfer 246–8 (case report)

epiphysiolysis, remodelling of distal radius after 396–7 (case report)

Ewing's sarcoma family tumours, clinicopathology of localised *versus* metastatic tumours 1229–33

extracorporeal shock-wave therapy, high-energy, for calcifying tendinitis of rotator cuff 335–41

F

femoral component
Birmingham Hip Resurfacing, accuracy of image-free computer navigation 557–60
cemented collarless double-taper, for revision hip replacement 879–86
cemented *versus* hydroxyapatite fixation, Freeman-Samuelson TKR 39–44
cementless fixation of megaprostheses using conical fluted stem in bone tumours 1084–7
cement penetration and stability after impaction autografting 962–70
Charnley Elite Plus
long-term survivorship 449–54
radiostereometric analysis 730–5, 1270–1 (correspondence)
design, effect on conformity of patellofemoral joint in TKR 408–12
hydroxyapatite-ceramic-coated JRI-Furlong, fracture 742–5
loosening, in legacy posterior stabilised-flex TKR 1457–61

femoral head
allografts, microbiological cultures 1225–8
asphericity assessment (radiological index), in cam impingement 1309–16
autografts, fate, position of acetabular component in THR affecting 874–8
blood flow, during resurfacing and surgical approach 21–5
blood supply, anterolateral *versus* posterior approach during hip resurfacing 1293–8
osteonecrosis *see* osteonecrosis
Oxinium prosthesis, surface damage after dislocation 535–7 (case report)

femoral head/neck junction offset, hip resurfacing and 9–15

femoral neck
blood supply, anterolateral *versus* posterior approach during hip resurfacing 1293–8
intracapsular fractures, bipolar hemiarthroplasty *versus* THR in elderly 160–5
narrowing, in resurfacing arthroplasty of hip 1019–24
pseudofracture secondary to osteomalacia 956–8 (case report)
ununited fractures, internal fixation and muscle pedicle periosteal grafting 1482–7

femoral nerve palsy, transient, synovial cyst of hip in spinal cord injury associated 107–8 (case report)

femoral stems
cemented, porosity not decreased by vacuum-mixing cement 1115–21
cementless, 3D custom-designed, for osteoarthritis secondary to congenital dislocation of hip 1586–91
cementless fixation of megaprostheses using conical fluted stem in bone tumours 1084–7
uncemented, medium-/long-term performance 1574–80

femoral trochlea, morphological analysis, in recurrent dislocation of patella 746–51

femoroacetabular impingement
in mild slipped capital femoral epiphysis, radiology 1592–6
femoral head/neck junction offset, hip resurfacing and 9–15
secondary to paediatric hip disorders, arthroscopy 1025–30

femur
anteversion angle as necessity or evolutionary vestige? 1283–8
chondro-osteoplasty, treatment of failed arthroscopic acetabular labral debridement 595–8
distal, endoprosthetic replacement, in bone tumours 521–6, 706 (erratum)
proximal, bone mineral density changes after cementless THR 174–9
sarcoma, intercalary reconstruction with extracorporeal irradiated autogenous bone graft in limb-salvage surgery 366–71
trochanteric fracture, non-invasive interactive neurostimulation in post-operative recovery 1488–94
vibration-assisted bone-graft compaction in impaction grafting 686–92

fibrin, topical spray *versus* tranexamic acid, effect on blood loss after TKR 306–9

fibrin sealant, healing of full-thickness cartilage defects using 693–700

fibroblast growth factor-2, healing of full-thickness cartilage defects using 693–700

fibroblasts, in devitalised patellar tendon, response to IL-1β 1261–7

fibroma, non-ossifying, external fixation treatment 1077–83

fibrous dysplasia, external fixation treatment 1077–83

fibula
distal, aneurysmal bone cysts in children 1356–62
non-vascularised grafts, reconstruction after resection of bone tumours 215–21

fixation
antegrade Rush nailing, for fractures of distal humerus 940–2
AO-plate *versus* Mannerfelt technique, wrist arthrodesis in rheumatoid arthritis 1620–6
bipolar hemiarthroplasty *versus* THR for intracapsular fractures of femoral neck in elderly 160–5
cemented *versus* hydroxyapatite, of femoral component based on Freeman-Samuelson design *versus* 39–44
cementless, of megaprostheses using conical fluted stem in bone tumour treatment 1084–7
external
benign bone tumour treatment 1077–83
distal tibial fractures, RhBMP-7 for healing acceleration 265–72
pin-track infections in open fractures in HIV-positive/HIV-negative patients 790–3
of implants grafted with morcellised bone allograft and ProOsteon bone substitute increased by osteogenic protein-1 121–6
internal
arthrodesis after failure total ankle replacement 1178–83
scaphoid fractures, factors affecting outcome of nonvascular bone grafting and 627–32
ununited fractures of femoral neck 1482–7
Kirschner wires, reconstruction of Mason type-III fracture of radial head 1545–50
locking plate use, axillary artery injury as complication 1519–21 (case report)
Mason type-III fracture of radial head, different methods 1545–50
miniscrews, reconstruction of Mason type-III fracture of radial head 1545–50
percutaneous, of pelvic ring 145–54
percutaneous compression plate and hip screw, for intertrochanteric fractures of hip 1210–17
percutaneous screw, sacral insufficiency fractures 1650–3 (case report)
proximal oblique locking screw placement, in intramedullary tibial nailing 1495–7
reconstruction with callus distraction for nonunion of femur due to suppurative osteomyelitis 1509–14
screw stability, factors affecting in cortical osteoporotic bone 701–5
T-miniplates, reconstruction of Mason type-III fracture of radial head 1545–50

flexion, maximum, after TKR 604–8

flexion contracture, proximal interphalangeal joint, gradual joint distraction by mini-external fixator 206–9

fluoroscopy, accuracy analysis of Iso-C3D *versus*, for navigated retrograde drilling of osteochondral lesions 323–6

fondaparinux, graduated compression stocking use with, in hip surgery 887–92

foot
hindfoot arthrodesis, for valgus deformity 925–7
surgery, measurement of dose of radiation to surgeon during surgery 1060–3

football
musculoskeletal injuries in adolescents 5–8
tibiofibular synostosis in professional player 109–11 (case report)

forearm, malunited fractures, outcome of corrective osteotomy for 236–9

'four-in-one' procedure, for habitual dislocation of patella 1645–9
fracture-dislocation, crescent, of sacroiliac joint 651–8
fractures
of Corin 'Taper-Fit' CDH stems used in 'cement-in-cement' revision of THR 393–5 (case report)
Gartland type III supracondylar of humerus, treatment by pin leverage method in children 646–50
healing
accelerated by RhBMP-7 in distal tibial fractures 265–72
anabolic and catabolic responses 425–33
autologous platelet gel enriched with growth factors 417–20
effects of short-term administration of low doses of anti-COX-2 agents 1253–60
implications of provascular response in bone marrow to musculoskeletal trauma 116–20
inhibition, factors causing 1553–60
progenitor cells with multilineage capacity in haematomas at fracture sites 133–8
vitamin C effect, in elderly Osteogenic Disorder Shionogi rats 402–7
malunited, of forearm, outcome of corrective osteotomy 236–9
Monteggia *see* Monteggia fractures
open
pin-track infections in HIV-positive/HIV-negative patients 790–3
wound irrigation 580–5
radiological features, value in acetabular fracture classification 72–6
rates in Osteoporosis Prospective Risk Assessment Study 1627–31
subtrochanteric insufficiency, alendronate therapy associated 349–53
see also under specific bones
Fragment Fixation System, reconstruction of Mason type-III fracture of radial head 1545–50
Freeman-Samuelson total knee replacement, cemented *versus* hydroxyapatite fixation of femoral component 39–44
frozen shoulder
pathology 928–32
thawing 1197–200

G

gait analysis, angle of immobilisation of knee, relationship to forces across extensor mechanism 911–14, 1408 (erratum)
general practitioners, arthroplasty follow-up 1133–4
genetic engineering/modification
of chondrocytes with insulin-like growth factor-1 672–85
hBMP-2-gene-modified tissue-engineered bone, osteonecrosis of femoral head treatment 127–32, 421 (erratum)
genetic factors/influences
aetiology of anteromedial knee osteoarthritis 901–3
predisposition to adverse outcome after trauma 1273–9
genotyping, atypical mycobacterial spondylitis 346–8
genu varum, development in achondroplasia 57–61
German trauma centre, MRSA transmission among hospital staff 642–5
giant-cell tumour
external fixation treatment 1077–83
knee, cartilage condition after treatment by curettage and cementing 361–5
glenohumeral arthritis, use of reverse shoulder prosthesis for failed hemiarthroplasty 189–95
glenoid rim fractures, large anterior, after traumatic anterior dislocation of shoulder, non-operative treatment 1347–51
glucose metabolism, pineal gland metabolism in adolescent idiopathic scoliosis and 66–71
growth factors, in autologous platelet gel, antibacterial effects 417–20
GSB III implant, total elbow replacement in rheumatoid arthritis 330–4
Gschwend/Scheier/Bähler (GSB) III implant, total elbow replacement in rheumatoid arthritis 330–4
Gustilo type-IIIA and type-IIIB open tibial fractures, score for predicting salvage and outcome 562–3 (correspondence)

H

haemangioma, vertebral, balloon kyphoplasty as single *versus* adjunct procedure in management of 495–502
haematoma, at fracture site, progenitor cells with multilineage capacity in 133–8
haemophilic arthropathy, total knee replacement 186–8
hair tourniquet syndrome, in infant 244–5 (case report)
hamstrings, double, ACL reconstruction 1165–71
hand, web space, metastasis of squamous-cell carcinoma of lung 1243–6 (case report)
hBMP-2-gene-modified tissue-engineered bone, osteonecrosis of femoral head treatment 127–32, 421 (erratum)

hemiarthroplasty
bipolar, total hip arthroplasty *versus*, for displaced intracapsular fractures of femoral neck in elderly 160–5
failed, in glenohumeral arthritis and rotator cuff deficiency and use of reverse shoulder prosthesis 189–95
heterotopic ossification
after lower limb arthroplasty, prophylaxis and treatment 434–40
celecoxib *versus* ibuprofen for prevention of, after THR 155–9
hindfoot, arthrodesis, for valgus deformity 925–7
hip
arthrodesis, intertrochanteric fracture 390–2 (case report), 706 (erratum)
arthrography, air embolus in infant 240–1 (case report)
bilateral reconstruction in severe whole-body cerebral palsy 1363–8
capsule, internervous safe zone for incision 971–6
congenital dislocation, 3D custom-designed cementless femoral stem use for osteoarthritis secondary to 1586–91
developmental dysplasia *see* developmental dysplasia of hip
dislocation, neglected, acetabuloplasty in older children 372–4
dysplasia, torn acetabular labrum 1289–92
intertrochanteric fractures *see* intertrochanteric fracture of hip
occult fractures, pelvic ring fractures mutually exclusive 1344–6
paediatric disorders, arthroscopic treatment of femoroacetabular impingement secondary to 1025–30
pyogenic sepsis in childhood 100–6
recurrent dislocation, posterior lip augmentation device after cemented Charnley/Charnley Elite THR 1581–5
reduction, MRI for prediction of long-term acetabular dysplasia 948–52
surgery, graduated compression stocking use with fondaparinux 887–92
hip arthroplasty
Birmingham Hip Resurfacing *see* Birmingham Hip Resurfacing
Charnley low-friction 1015–18
effects of metal ions in solution on bacterial growth *versus* wear particles 1655–9
impact of NICE guidelines 864–7
metal-on-metal *see* metal-on-metal hip arthroplasty
resurfacing *see* resurfacing arthroplasty of hip
revision *see* revision hip arthroplasty
validity of metal ion serum levels as surrogate measure of systemic exposure 736–41
hip arthroplasty (total)
3D custom-designed cementless femoral stem, for osteoarthritis secondary to congenital dislocation of hip 1586–91
after intra-articular injection of local anaesthetic and steroid 166–8
bipolar hemiarthroplasty *versus*, for displaced intracapsular fractures of femoral neck in elderly 160–5
celecoxib *versus* ibuprofen for prevention of heterotopic ossification after 155–9
cemented, bone quality predictive of loosening 1303–8
'cement-in-cement' revision, fractures of Corin 'Taper-Fit' CDH stems 393–5 (case report)
cementless
after intertrochanteric valgus osteotomy for advanced osteoarthritis 1155–7
bone mineral density changes in acetabulum and proximal femur after 174–9
ceramic-on-ceramic bearing with/without computer navigation, mid-term results 455–60
circumferential osteotomy of medial acetabular wall for sequelae of childhood septic arthritis 1149–54
dislocation, surface damage of Oxinium femoral head 535–7 (case report)
failure rates of impaction grafting in large acetabular defects 296–300
iliopsoas impingement after 1031–5
impingement, prevention, computer model of position of combined component 839–45
incomplete seating of liner with Trident acetabular system 291–5
insufficient duration of venous thromboembolism prophylaxis 799–807, 1409–10 (correspondence)
life expectancy after 1299–302
loosening, bone quality predictive of 1303–8
near-fatal necrotising fasciitis complicating 959–60 (case report)
orientation and wear of acetabular component in alumina-on-alumina ceramic bearings 1158–64
position of acetabular component affecting fate of femoral head autograft 874–8
post-operative blood salvage with autologous retransfusion 1092–7

quality of life and functional outcome 868–73
recurrent instability, use of posterior lip augmentation device 1581–5
in renal transplant patients 1561–6
revision *see* revision hip arthroplasty
Ring metal-on-metal, metal ion levels after 586–90
sciatic nerve injury due to pre-operative intraneural injection of local anaesthetic 242–3 (case report)

hip fracture
comminuted posterior-wall fractures of acetabulum, two-level reconstruction 503–9
intertrochanteric, of arthrodesed hip 390–2 (case report), 706 (erratum)
mortality and morbidity after, in Japan 461–6
operative delay 77–9

hip resurfacing
Birmingham, blood/urine metal ion levels in young and active patients after 169–73, 989–90 (correspondence)
blood flow to femoral head, surgical approach affect 21–5
Durom resurfacing system, chromium and cobalt ion release 441–8
femoral head/neck junction offset 9–15
metal-on-metal, metal ion levels in triathlete 538–41 (case report)
posterolateral approach *versus* transgluteal approach 21–5
press-fit, initial stability and contact mechanism 549–56
thermal damage reduction 16–20
see also resurfacing arthroplasty of hip

historical perspective
osteomyelitis history from *Journal of Bone and Joint Surgery* 667–70
tendo Achillis and ruptures 545–7

HIV infection
multifocal *Proteus mirabilis* osteomyelitis and bilateral amputation for 249–51 (case report)
pin-track infections in open fractures treated by external fixation 790–3

humerus
condylar fractures, peri-operative, outcome after total elbow replacement in rheumatoid arthritis 62–5
distal
endoprosthetic replacement after resection of bone tumours 1498–503
reverse V osteotomy, for cubitus varus 527–31
fractures
distal articular surface 510–15
distal humerus, antegrade Rush nailing for 940–2
proximal, PHILOS plate system 1206–9
shaft, complete division of radial nerve 821–4 (case report)
internal locking system, axillary artery injury as complication 1519–21 (case report)
proximal, three-/four-part fractures in elderly treated by reverse shoulder arthroplasty 516–20
supracondylar fractures, displaced, treatment in children by pin leverage method 646–50
hydrodilatation, thawing of frozen shoulder 1197–200

hydroxyapatite
fixation of femoral component of Freeman-Samuelson TKR *versus* cemented fixation 39–44
loaded with bone morphogenetic protein, bone transport using 1122–9
TKR 34–8

hydroxyapatite-ceramic-coated JRI-Furlong femoral component, fracture 742–5

hydroxyapatite-coated cementless implant, shoulder replacement 1466–9

I

ibuprofen, celecoxib *versus* in heterotopic ossification prevention after THR 155–9

idiopathic club foot
neglected, correction by Ponseti method 378–81
poor compliance with continuous passive movement after surgical treatment 375–7

idiopathic scoliosis, pineal gland metabolism in adolescents 66–71

iliac bone, grafting, posterior lumbar interbody fusion in lumbar tuberculous spondylitis 210–14

iliopsoas impingement, after total hip replacement 1031–5

Ilizarov technique
cubitus varus and valgus management 1615–19
patellar tendon lengthening for patella infera 398–400 (case report)

immobilisation, angle, of knee, relationship to forces across extensor mechanism with partial weight-bearing 911–14, 1408 (erratum)

impaction grafting
autografting, cement penetration and stability of femoral component 962–70
failure rates in large acetabular defects 296–300
vibration-assisted bone-graft compaction, in femur 686–92

impingement
cam, radiological index for assessment of femoral head asphericity 1309–16

femoroacetabular *see* femoroacetabular impingement
iliopsoas, after total hip replacement 1031–5
prevention, computer model of position of combined component in THR 839–45
in-cement technique, revision hip arthroplasty 1410 (correspondence)
indometacin, effects of short-term administration of low doses on fracture healing 1253–60
infants
air embolus during arthrography of hip 240–1 (case report)
hair tourniquet syndrome 244–5 (case report)
idiopathic club foot, poor compliance with continuous passive movement after surgery 375–7
infections
after total hip replacement, intra-articular injections of anaesthetic and steroids effect 166–8
deep prosthetic, incidence in specialist orthopaedic hospital 281–2 (correspondence)
knee replacement after previous injection of intra-articular steroids 422–3 (correspondence)
peri-prosthetic after total joint replacement, markers of 94–9
pin-track, in HIV-positive/HIV-negative patients with open fractures treated by external fixation 790–3
see also sepsis; individual infections/organisms
inflammatory markers, post-operative level changes after posterior lumbar interbody fusion 1478–81
inflammatory response, regional, delayed recovery and late development of complex regional pain syndrome in fracture of distal radius 1069–76
insulin-like growth factor-1, genetic modification of chondrocytes with 672–85
interleukin-1 (IL-1β), responses of extrinsic fibroblasts infiltrating devitalised patellar tendon to 1261–7
interleukin-6 (IL-6), marker of peri-prosthetic infection after total joint replacement 94–9
interphalangeal joint, proximal, gradual joint distraction of post-traumatic flexion contracture by mini-external fixator 206–9
intertrochanteric fracture of hip
arthrodesed hip 390–2 (case report), 706 (erratum)
percutaneous compression plate *versus* compression hip screw 1210–17
intertrochanteric valgus osteotomy, cementless THR after for advanced osteoarthritis 1155–7
intervertebral disc, lumbar *see* lumbar disc
intra-articular injections
of local anaesthetic and steroid, THR after 166–8
steroids, infections in knee replacement after 422–3 (correspondence)
intramedullary reaming
biological and physiological effects 1421–6
effect of re-implanted particles on mechanical properties and callus formation 1534–8
intramedullary tibial nailing, placement of proximal oblique locking screws 1495–7
intraneural injection, local anaesthetic, sciatic nerve injury due to, in THR 242–3 (case report)
intraoperative bleeding, from superior gluteal artery, control by urinary catheter tamponade 32–3
Ireland, MRSA in orthopaedic centre 141–2 (correspondence)
irradiation
extracorporeal irradiated autogenous bone graft, intercalary femoral reconstruction in limb-salvage surgery 366–71
see also radiation
Iso-C^{3D} navigation, 2D fluoroscopy-based *versus*, for retrograde drilling of osteochondral lesions 323–6

J

Japan, mortality and morbidity after hip fracture 461–6
joint
trauma, viability/apoptosis of chondrocytes in osteochondral fragments 1388–95
tuberculosis, cases from 1988-2005 (Blackburn) 1379–81
Journal of Bone and Joint Surgery
evolution of compartment syndrome since 1948 as recorded in 1280–2
osteomyelitis history 667–70
reviewers, list 139–40
JRI-Furlong hydroxyapatite-ceramic-coated femoral component, fracture 742–5

K

Kerboull acetabular reinforcement device, revision hip arthroplasty using 26–31
Knee
angle of immobilisation, relationship to forces across extensor mechanism with partial weight-bearing 911–14, 1408 (erratum)
chondrocyte apoptosis in regenerated cartilage after allogenic cartilage transplantation 977–83
dysplastic, MRI of patella 761–5
giant-cell tumour, cartilage condition after treatment by curettage and cementing 361–5

osteoarthritis *see* osteoarthritis, knee
posterior condylar offset, effect on flexion after TKR 915–18
tuberculous arthritis, with *Staphylococcus* superinfection 664–6 (case report)

knee arthroplasty
early mobilisation after, post-operative venous thromboembolism risk reduced 316–22
infections, after previous injection of intra-articular steroids 422–3 (correspondence)
for osteoarthritis, long-term mortality 599–603
registers 1–4
unexplained pain, conservative approach 1042–5, 1408 (erratum)
unicompartmental
Oxford medial, effect of presence/severity of patellofemoral degenerative changes 1597–601
pre-operative clinical/radiological assessment of patellofemoral joint 1602–7

knee arthroplasty (total)
alignment and orientation of components with/without navigation support 471–6
aseptic loosening of femoral component 1457–61
cemented *versus* cementless, survival 1608–14
cemented *versus* hydroxyapatite fixation of femoral component based on Freeman-Samuelson design 39–44
computer-assisted *versus* conventional 477–80, 1130–1 (correspondence)
embolic phenomena 481–5
conformity of patellofemoral joint, effect of design of femoral component 408–12
determination of rotational alignment of tibial component 45–9
effect of posterior condylar offset on flexion after 915–18
effect of topical fibrin spray *versus* tranexamic acid on blood loss after 306–9
flexion and extension gap changes, variation in collateral ligament strain and tibiofemoral forces 1528–33
in haemophilic arthropathy 186–8
hydroxyapatite-coated 34–8
insufficient duration of venous thromboembolism prophylaxis 799–807, 1409–10 (correspondence)
locking due to intermittent occlusion of popliteal artery 1249–52 (case report)
maximum flexion correlation with clinical outcome in Asian patients 604–8
minimally invasive, anatomical variations of vastus medialis obliquus and implications on 1462–5
moulded monoblock *versus* modular tibial components, survival comparison 609–14
for osteoarthritis with congenital dislocation of patella 1522–4 (case report)
posterior cruciate ligament balancing 1046–50, 1408 (erratum)
posterior cruciate ligament preservation 766–71
primary, follow-up 1452–6
quadriceps-sparing *versus* standard arthrotomy, outcome and complications rate 467–70
role of pain and function in determining patient satisfaction 893–900
simultaneous mobile- and fixed-bearing in same patients 904–10, 1317–23

Korean patients, correlation of maximum flexion with clinical outcome after TKR 604–8

kyphoplasty
balloon, as single *versus* adjunct procedure for vertebral haemangioma management 495–502
balloon bone tamp *versus* expandable polymer bone tamp (deer spine model) 253–7

L

laminoplasty, cervical, alternating, for cervical spondylotic myelopathy 639–41

Langlais, Frantz, obituary 1407

lateral collateral ligament, variation in strain and tibiofemoral forces after changes in flexion and extension gaps in TKR 1528–33

leg
length discrepancy, after transtrochanteric curved varus osteotomy for osteonecrosis of femoral head 725–9
lengthening, progesterone effect on recovery from nerve injury 830–5
shortening, reconstruction for nonunion of femur due to suppurative osteomyelitis 1509–14

letters *see* correspondence

ligamentous laxity, 'four-in-one' procedure for habitual dislocation of patella 1645–9

limb re-lengthening
management of bone/soft-tissue loss in complicated tibial fractures 80–8, 846–7 (correspondence)
see also leg

limb-salvage surgery, femoral, intercalary reconstruction with extracorporeal irradiated autogenous bone graft in 366–71

limb shortening, management of bone/soft-tissue loss in complicated tibial fractures 80–8, 846–7 (correspondence)

local anaesthetic
intra-articular injections, THR after 166–8
intraneural injection, sciatic nerve injury due to, in THR 242–3 (case report)
loose bodies, removal, in synovial chondromatosis of shoulder 1329–35
Low Contact Stress prosthesis, total knee replacement, effect on conformity of patellofemoral joint 408–12
lower limb
arthroplasty, prophylaxis and treatment of heterotopic ossification 434–40
see also leg
lumbar disc
degeneration, SB Charité III disc replacement, survival and clinical outcome 785–9, 1673–5 (correspondence)
herniation, massive, natural history 782–4
nerve supply 1135–9
lumbar interbody fusion
posterior
fusion in lumbar tuberculous spondylitis 210–14
post-operative changes in inflammatory markers level 1478–81
rhBMP-2 with, consistent fusion but early subsidence 342–5
lumbar radicular pain, effects of sympathetic nerves 1666–72
lumbar tuberculous spondylitis, posterior lumbar interbody fusion and posterior instrumentation in surgical management 210–14
lung, squamous-cell carcinoma metastasis in first web space of hand 1243–6 (case report)

M

magnetic resonance imaging
anatomical variations of vastus medialis obliquus and implications on minimally invasive TKR 1462–5
immediate, value after reduction of hip as predictor of long-term acetabular dysplasia 948–52
minimal *versus* standard debridement, ACL reconstruction using autologous double hamstrings 1165–71
patella 761–5
malnutrition, effect on fracture healing 1553–60
manipulation, thawing of frozen shoulder 1197–200
Mannerfelt technique, wrist arthrodesis in rheumatoid arthritis 1620–6
Mason type-III fracture of radial head, reconstruction using different fixation techniques 1545–50
medial collateral ligament, variation in strain and tibiofemoral forces after changes in flexion and extension gaps in TKR 1528–33
medial malleolus, fractures, conservative treatment 89–93
megaprostheses, cementless fixation using conical fluted stem in bone tumour treatment 1084–7
meloxicam, effects of short-term administration of low doses on fracture healing 1253–60
meniscal tears, incidence, revision ACL reconstruction 1051–4
mesenchymal progenitor cells, in haematomas at fracture sites 133–8
metacarpophalangeal joint, dislocation of thumb, in children 227–9
metal(s), orthopaedic, potential toxicity in arthroplasty 567–73
metal ions
blood/urine metal levels in young/active patients after Birmingham hip resurfacing arthroplasty 169–73, 989–90 (correspondence)
levels after metal-on-metal Ring THR 586–90
levels in triathlete with metal-on-metal resurfacing arthroplasty of hip 538–41 (case report)
in solution, effect on bacterial growth *versus* wear particles, from hip replacements 1655–9
transplacental transfer, in patients with metal-on-metal hip arthroplasty 301–5
validity of serum levels as surrogate measure of systemic exposure 736–41
metal-on-metal hip arthroplasty
metal ions in solution *versus* metal wear particles, effect on bacterial growth 1655–9
resurfacing
blood/urine metal levels in young/active patients 169–73, 989–90 (correspondence)
chromium and cobalt ion release after Durom resurfacing system use 441–8
metal ion levels in triathlete 538–41 (case report)
one-stage or two-stage bilateral 1144–8
transplacental transfer of cobalt and chromium 301–5
metastases
in duodenum and pancreas from osteosarcoma 542–4 (case report)
Ewing's sarcoma family tumours 1229–33
late skeletal, in adamantinoma of tibia 388–9 (case report)
methicillin-resistant *Staphylococcus aureus* (MRSA) *see* MRSA
microbiological cultures, allografts of femoral head just before transplantation 1225–8

Miller-Galante II, total knee replacement, effect on conformity of patellofemoral joint 408–12
minimally-invasive technique, for pyogenic sacroiliitis 112–14 (case report)
mobility, assessment, after multi-level surgery for cerebral palsy 993–4
Monteggia fractures
in adults, long-term results and prognostic factors 354–60
influence of lateral and anterior angulation of proximal ulna 836–8
MRSA
in Irish orthopaedic centre 141–2 (correspondence)
transmission among hospital staff in German trauma centre 642–5
value of routine screening of staff for 565–6
muscle pedicle periosteal grafting, for ununited fractures of femoral neck 1482–7
musculoskeletal injuries
adolescents, from football 5–8
provascular response in bone marrow to 116–20
musculoskeletal sepsis, Panton-Valentine leukocidin-secreting *Staphylococcus aureus* causing in children 1239–42
musculoskeletal tumours, precision resection and reconstruction by image-guided computer navigation 943–7
MUTARS megaprosthesis, cementless fixation using conical fluted stem in bone tumours 1084–7
mycobacteria, atypical, spondylitis in HIV-negative patients, genotyping 346–8
myoperiosteal grafting, for ununited fractures of femoral neck 1482–7

N

National Arthroplasty Register, key factors for success 1567–73
National Health Service, payment by results and coding practice 1427–30
National Institute for Clinical Excellence
impact of guidelines on hip arthroplasty 864–7
influence on orthopaedic surgery 849–50
navigated retrograde drilling, of talar lesions, accuracy analysis of Iso-C^{3D} *versus* fluoroscopy-based methods 323–6
navigation
alignment and orientation of components in TKR 471–6
CT-based, cementless THR using ceramic-on-ceramic bearing, mid-term results 455–60
see also computer navigation
necrotising fasciitis, near-fatal, complication of primary THR 959–60 (case report)
nerve injury, progesterone effect on recovery after leg lengthening 830–5
nerve supply, lumbar intervertebral disc 1135–9
nerve transfer, shoulder function and elbow flexion restoration, in poliomyelitis-like paralysis due to enterovirus 71 infection 246–8 (case report)
neurostimulation, non-invasive interactive, in post-operative recovery of trochanteric fracture of femur 1488–94
NexGen prosthesis, total knee replacement
effect on conformity of patellofemoral joint 408–12
incidence of loosening of femoral component 1457–61
NICE *see* National Institute for Clinical Excellence
non-steroidal anti-inflammatory drugs, effect on fracture healing 1553–60
Norwegian Arthroplasty Register, medium-/long-term performance of uncemented primary femoral stems 1574–80

O

obesity, effect on outcome of operative treatment of ankle fractures 794–8
Obituary
Bonney, George 1268–9
Langlais, Frantz 1407
Ollier's disease, external fixation treatment 1077–83
open modified Bankart procedure, outcome follow-up 1064–8
OrthoChina project 717–20
orthopaedic surgery *see* surgery
os calcis, fracture, *in situ* arthrodesis with lateral-wall ostectomy 919–24
ossification, heterotopic *see* heterotopic ossification
ostectomy, lateral-wall, *in situ* arthrodesis with, in fracture of os calcis 919–24
osteoarthritis
advanced, cementless THR after intertrochanteric valgus osteotomy 1155–7
costovertebral joints 1336–9
hip, 3D custom-designed cementless femoral stem use 1586–91
knee
advanced, radiological findings and symptoms at patellofemoral joint 1324–8
anteromedial, genetic influences on aetiology 901–3
arthroplasty for, long-term mortality 599–603

with congenital dislocation of patella, TKR 1522–4 (case report)
validation of short-form WOMAC function scale for assessment 50–6
osteochondral defects
load-bearing, cartilage restoration by implantation of autologous chondrocyte-fibrin constructs 1099–109
repair with new porous synthetic polymer scaffold 258–64
osteochondral fragments, after joint trauma, viability/apoptosis of chondrocytes 1388–95
osteochondral lesions, accuracy analysis of Iso-C^{3D} *versus* fluoroscopy-based navigated retrograde drilling 323–6
osteochondroma, external fixation treatment 1077–83
osteofibrous dysplasia
external fixation treatment 1077–83
of tibia 141 (correspondence)
osteogenesis, distraction, bone mineral density increased by low-dose alendronate during 984–8
Osteogenic Disorder Shionogi rats, vitamin C effect on fracture healing 402–7
osteogenic protein-1, fixation of implants grafted with morcellised bone allograft and ProOsteon bone substitute increased by 121–6
osteomalacia, femoral neck pseudofracture secondary to 956–8 (case report)
osteomyelitis
club-hand deformity after, callus distraction for treatment of 1515–18
history from *Journal of Bone and Joint Surgery* 667–70
Proteus mirabilis (multifocal), bilateral amputation in HIV-positive patient 249–51 (case report)
suppurative, reconstruction with callus distraction for nonunion of femur due to 1509–14
osteonecrosis, femoral head vertebral, single-stage anterior debridement, grafting of defect and posterior instrumentation 1201–5
leg-length discrepancy after transtrochanteric curved varus osteotomy 725–9
in renal transplant patients 1561–6
treatment with hBMP-2-gene-modified tissue-engineered bone 127–32, 421 (erratum)
osteoporosis, factors affecting screw stability in cortical bone 701–5
Osteoporosis Prospective Risk Assessment Study, fracture rates 1627–31
osteosarcoma
duodenal and pancreatic metastases 542–4 (case report)
survival and treatment changes (1933-2004) 1234–8
osteotomy
Bernese periacetabular, for developmental dysplasia of hip 721–4
corrective for malunited fractures of forearm sustained in childhood, outcome 236–9
intertrochanteric valgus, cementless THR after for advanced osteoarthritis 1155–7
of medial acetabular wall in THR for childhood septic arthritis sequelae 1149–54
modified Salter, for developmental dysplasia of hip 1375–8
reverse V, of distal humerus for cubitus varus 527–31
tibial tubercle, modified, for patellar maltracking 180–5
transtrochanteric curved varus, leg-length discrepancy after 725–9
Weil, follow-up 280–1 (correspondence)
Oxford hip and knee scores, use of 1010–14
Oxford medial unicompartmental knee replacement, effect of presence/severity of patellofemoral degenerative changes 1597–601
Oxinium femoral head prosthesis, surface damage after dislocation 535–7 (case report)

P

pain
after knee replacement, conservative approach 1042–5, 1408 (erratum)
complex regional pain syndrome with knee involvement 285–90
lumbar radicular, effects of sympathetic nerves 1666–72
patient satisfaction assessment after TKR 893–900
pain relief, after resection arthroplasty of shoulder 1184–7
palsy
brachial plexus *see* brachial plexus palsy
femoral nerve, transient, synovial cyst of hip in spinal cord injury associated 107–8 (case report)
palsy, brachial plexus *see* brachial plexus palsy
pancreas, osteosarcoma metastases 542–4 (case report)
passive movement, continuous, poor compliance with after surgical treatment of idiopathic club foot 375–7
patella
congenital dislocation, TKR for knee osteoarthritis with 1522–4 (case report)
habitual dislocation
'four-in-one' procedure 1645–9
outcome of surgical treatment 1172–7
in vivo movement analysis 752–60

magnetic resonance imaging (MRI) 761–5
maltracking, modified tibial tubercle osteotomy for 180–5
recurrent dislocation, morphological analysis of femoral trochlea 746–51
patella alta, habitual patellar dislocation with, long-term outcome of surgery 1172–7
patella infera, patellar tendon lengthening using Ilizarov technique 398–400 (case report)
patellar tendon
devitalised, responses of extrinsic fibroblasts infiltrating, to IL-1β 1261–7
lengthening, for patella infera using Ilizarov technique 398–400 (case report)
tuberculosis 1525–6 (case report)
patellofemoral joint
arthritis, Avon patellofemoral arthroplasty for 310–15
arthroplasty, Avon 310–15
chronic instability, assessment and management 709–16
design of femoral component in TKR, effect on conformity 408–12
pre-operative clinical/radiological assessment in unicompartmental knee replacement, outcome 1602–7
presence/severity of degenerative changes, outcome of Oxford medial unicompartmental knee replacement 1597–601
radiological findings and symptoms, in advanced knee osteoarthritis 1324–8
Pavlik harness, developmental dysplasia of hip treatment 230–5, 707
pelvic ring
fractures, occult fractures of hip mutually exclusive 1344–6
percutaneous fixation 145–54
Pennington modified Kessler repair, biomechanical analysis of multistrand repairs with Silfverskiöld peripheral cross-stitch *versus* 1396–401
percutaneous compression plate, compression hip screw *versus* for intertrochanteric fractures of hip 1210–17
percutaneous fixation, pelvic ring 145–54
peripheral nerve injuries, thermometric diagnosis 933–9
peripheral vascular disease, effect on fracture healing 1553–60
peri-prosthetic infections, after total joint replacement, markers of 94–9
Perthes' disease, deformity index as predictor of final radiological outcome 1369–74
pes cavovarus, ankle joint pressure 1660–5
PHILOS plate system, treatment of 3- and 4-part fractures of proximal humerus 1206–9
pigmented villonodular synovitis 1504–8
pineal gland, metabolism, in adolescent idiopathic scoliosis 66–71
pin leverage method, displaced humeral supracondylar fractures treatment in children by 646–50
pin-track infection, in HIV-positive/HIV-negative patients with open fractures treated by external fixation 790–3
Pirani scoring system, role in management of club foot by Ponseti method 561–2 (correspondence)
pisotriquetral joint, visualisation through standard portals for wrist arthroscopy 202–5
plaster cast, ankle fractures, incidence of deep-vein thrombosis 1340–3
platelet gel, autologous, enriched with growth factors, antibacterial effect 417–20
pneumatic tourniquet, effect of tourniquet padding on efficiency, for upper limb 532–4
poliomyelitis-like paralysis, enterovirus 71 infection, shoulder function and elbow flexion restoration by nerve transfer 246–8 (case report)
poly(DL-lactide-co-glycolide) (PLG), synthetic polymer, osteochondral defect repair 258–64
polyethylene acetabular components, wear analysis for failed components 273–9
polyethylene acetabular liners
cross-linked, retrieval analyses after four and five years 1036–41
penetration rate comparison of liners of different levels of cross-linking 1439–45
polymers, porous synthetic PLG, for osteochondral defect repair 258–64
polymethylmethacrylate bone cement, role in orthopaedic surgery 851–7
Ponseti method
club foot management, role of Pirani scoring system 561–2 (correspondence)
correction of neglected idiopathic club foot 378–81
popliteal artery, intermittent occlusion, locking after TKR due to 1249–52 (case report)
porous-coated anatomic prosthesis, total knee replacement, effect on conformity of patellofemoral joint 408–12
posterior cruciate ligament
balancing in TKR 1046–50, 1408 (erratum)
preservation, in TKR 766–71
posterior lumbar interbody fusion
in lumbar tuberculous spondylitis 210–14
post-operative changes in inflammatory markers level 1478–81

posterior tibial nerve, Schwannoma, delayed diagnosis 814–16
post-operative venous thromboembolism *see* venous thromboembolism, post-operative
post-traumatic stiffness, elbow, open arthrolysis 778–81
press-fit condylar posterior cruciate ligament-retaining prosthesis, cemented *versus* cementless knee replacement, survival 1608–14
press-fit resurfacing arthroplasty of hip, initial stability and contact mechanism 549–56
procalcitonin, marker of peri-prosthetic infection after total joint replacement 94–9
progenitor cells, mesenchymal, in haematomas at fracture sites 133–8
progesterone, effect on recovery from nerve injury during leg lengthening 830–5
ProOsteon bone substitute, fixation of implants increased by osteogenic protein-1 121–6
prosthesis *see* individual prostheses and individual conditions/joints
Proteus mirabilis, multifocal osteomyelitis, bilateral amputation in HIV-positive patient 249–51 (case report)
provascular response, in bone marrow to musculoskeletal trauma 116–20
proximal humerus internal locking system, axillary artery injury as complication 1519–21 (case report)
proximal interphalangeal joint, gradual joint distraction of post-traumatic flexion contracture by mini-external fixator 206–9
pseudofracture, femoral neck, secondary to osteomalacia 956–8 (case report)
pyogenic sacroiliitis, minimally-invasive therapeutic technique 112–14 (case report)
pyogenic sepsis, of hip, in childhood 100–6
pyogenic vertebral osteomyelitis, single-stage anterior debridement, grafting of defect and posterior instrumentation 1201–5

Q

quadriceps-sparing total knee replacement, standard arthrotomy *versus*, outcome and complications rate 467–70
quality of life
after primary THR 868–73
predictors after revision THR 1446–51

R

radial head, Mason type-III fracture, reconstruction using different fixation techniques 1545–50
radial nerve, complete division in closed fracture of humeral shaft in child 821–4 (case report))
radiation
extracorporeal irradiated autogenous bone graft, intercalary femoral reconstruction in limb-salvage surgery 366–71
measurement of dose to surgeon during foot/ankle surgery 1060–3
sarcoma of bone induced by 808–13
radiographs, use of gravity or manual-stress radiographs in assessment of supination-external rotation fracture of ankle 1055–9
radiological features
femoroacetabular impingement in slipped capital femoral epiphysis 1592–6
at patellofemoral joint in advanced knee osteoarthritis 1324–8
value in classification of acetabular fractures 72–6
radiological index, for assessment of femoral head asphericity in cam impingement 1309–16
radiology, deformity index as predictor of final outcome of Perthes' disease 1369–74
radiostereometric analysis, Elite Plus femoral component 730–5, 1270–1 (correspondence)
radiostereometric follow-up, Birmingham Hip Resurfacing arthroplasty 1140–3
radiotherapy, risks/benefits, with massive endoprosthetic replacement 1352–5
radius
distal
isolated fracture, delayed recovery and late development of complex regional pain syndrome 1069–76
remodelling after epiphysiolysis and lengthening 396–7 (case report)
head, prosthesis positioning, validation of lesser sigmoid notch of ulna as reference point 413–16
randomised controlled trials, design and assessment in orthopaedic surgery 858–63
range-of-movement technique, determination of rotational alignment of tibial component at TKR 45–9
reconstruction
of ACL, revision 1051–4
for nonunion with bone loss due to suppurative osteomyelitis of femur 1509–14

reconstructive soft-tissue procedures, shoulder abduction improvement in obstetric brachial plexus palsy 620–6
registers, knee arthroplasty 1–4
renal transplant patients, total hip replacement 1561–6
resurfacing arthroplasty
hip anterolateral approach *versus* posterior approach, femoral head-neck blood supply and 1293–8
narrowing of femoral neck in 1019–24
one-/two-stage bilateral metal-on-metal 1144–8
see also hip resurfacing
reverse shoulder prosthesis, treatment of failed hemiarthroplasty in glenohumeral arthritis and rotator cuff deficiency 189–95
reverse V osteotomy, of distal humerus for cubitus varus 527–31
reviewers of *Journal of Bone and Joint Surgery* 139–40
revision hip arthroplasty
bleeding from superior gluteal artery controlled by urinary catheter tamponade 32–3
complete acetabular revision *versus* isolated acetabular liner exchange 591–4
fractures of Corin 'Taper-Fit' CDH stems 393–5 (case report)
in-cement technique 1410 (correspondence)
posterior lip augmentation device after cemented Charnley/Charnley Elite THR 1581–5
predictors of quality of life outcomes 1446–51
retrieval analyses of cross-linked polyethylene acetabular liners after four and five years 1036–41
using cemented collarless double-taper femoral components 879–86
using Kerboull acetabular reinforcement device with morsellised or bulk graft 26–31
RhBMP-2, interbody fusion with allograft with, consistent fusion but early subsidence 342–5
RhBMP-7, healing accelerated in distal tibial fractures by 265–72
rheumatoid arthritis
carpal deformity, 3D quantitative analysis 490–4
moulded monoblock *versus* modular tibial components for TKR, survival comparison 609–14
outcome of peri-operative humeral condylar fractures after total elbow replacement 62–5
total elbow replacement, GSB III implant 330–4
wrist fusion, surgical techniques 1620–6
rib osteochondral replacement arthroplasty, for deficiency of proximal pole of scaphoid 196–201
Ring metal-on-metal total hip replacement, metal ion levels after 586–90
rofecoxib, effects of short-term administration of low doses on fracture healing 1253–60
rotator cuff
calcifying tendinitis, high-energy extracorporeal shock-wave therapy 335–41
deficiency, use of reverse shoulder prosthesis for failed hemiarthroplasty 189–95
in vivo measurement of tissue metabolism in tendons 633–8
Rush nailing, antegrade, for fractures of distal humerus 940–2

S

sacral insufficiency fractures, percutaneous screw fixation 1650–3 (case report)
sacroiliac joint, crescent fracture-dislocation 651–8
sacroiliitis, pyogenic, minimally-invasive therapeutic technique 112–14 (case report)
saline, wound irrigation in open fractures 580–5
Salter osteotomy, modified, for developmental dysplasia of hip 1375–8
sarcoma
of bone, radiation-induced 808–13
femoral, intercalary reconstruction with extracorporeal irradiated autogenous bone graft in limb-salvage surgery 366–71
Savage repairs, biomechanical analysis of multistrand repairs with Silfverskiöld peripheral cross-stitch versus 1396–401
SB Charité III disc replacement, for back pain, survival and clinical outcome 785–9, 1673–5 (correspondence)
scaphoid
fractures
nonunion, factors affecting outcome of nonvascular bone grafting and internal fixation 627–32
rib osteochondral replacement arthroplasty 196–201
proximal pole deficiency, rib graft arthroplasty 196–201
Schwannoma
benign solitary 382–7
posterior tibial nerve, delayed diagnosis 814–16
sciatic nerve injury, pre-operative intraneural injection of local anaesthetic during THR causing 242–3 (case report)
scoliosis, adolescent idiopathic, pineal gland metabolism 66–71
screws
percutaneous, sacral insufficiency fractures 1650–3 (case report)

stability, factors affecting in cortical osteoporotic bone 701–5

sepsis
Panton-Valentine leukocidin-secreting *Staphylococcus aureus* causing in children 1239–42
pyogenic, of hip, in childhood 100–6
see also infections

shoulder
abduction, improvement after reconstructive soft-tissue procedures in obstetric brachial plexus palsy 620–6
chronic instability, arthroscopic stabilisation *versus* open surgery 1188–96
Copeland surface replacement of 1466–9
floating 708 (correspondence)
frozen
pathology 928–32
thawing 1197–200
instability severity index score 1470–7
locked bilateral posterior dislocation, one-stage operation 825–8 (case report)
medial rotation deformity, botulinum toxin type A as adjunct to surgical treatment 327–9
patient selection, arthroscopic *versus* open stabilisation 1470–7
resection arthroplasty, pain relief and functional results 1184–7
restoration of function by nerve transfer for poliomyelitis-like paralysis due to enterovirus 71 infection 246–8 (case report)
reverse arthroplasty, three-/four-part fractures of proximal humerus in elderly treated by 516–20
reverse prosthesis, treatment of failed hemiarthroplasty in glenohumeral arthritis and rotator cuff deficiency 189–95
synovial chondromatosis, arthroscopic synovectomy, loose body removal and selective biceps tenodesis 1329–35
traumatic anterior dislocation, non-operative treatment of large anterior glenoid rim fractures after 1347–51

Silfverskiöld peripheral cross-stitch, biomechanical analysis of multistrand repairs with 1396–401

slipped capital femoral epiphysis
radiological evidence of femoroacetabular impingement 1592–6
rotation *versus* 1402–6

smoking, effect on fracture healing 1553–60

snowboarders, fracture of lateral process of talus 772–7

soft-tissue loss, management in complicated tibial fractures, acute shortening and re-lengthening in 80–8, 846–7 (correspondence)

spinal cord injury, transient femoral nerve palsy associated with synovial cyst of hip 107–8 (case report)

spondylitis
atypical mycobacterial, in HIV-negative patients, genotyping 346–8
lumbar tuberculous, posterior lumbar interbody fusion and posterior instrumentation in surgical management 210–14

spondylosis, cervical, alternating cervical laminoplasty for 639–41

squamous-cell carcinoma, of lung, metastasis to first web space of hand 1243–6 (case report)

Staphylococcus aureus
methicillin-resistant (MRSA) *see* MRSA
Panton-Valentine leukocidin-secreting, musculoskeletal sepsis in children 1239–42
superinfection in tuberculous arthritis of knee 664–6 (case report)

statins, effect on fracture healing 1553–60

stem cells, debrided waste as source 1110–14

sternum, tuberculosis 817–20

steroid injections, autologous bone marrow grafting *versus* for unicameral bone cysts 222–6

steroids, intra-articular injections, THR after 166–8

stockings, graduated compression, use with fondaparinux in hip surgery 887–92

subtrochanteric insufficiency fractures, alendronate therapy associated 349–53

6-sulfatoxyl-melatonin, excretion, pineal gland metabolism in adolescent idiopathic scoliosis 66–71

superior gluteal artery, bleeding control by urinary catheter tamponade 32–3

supination-external rotation fractures, ankle, use of gravity or manual-stress radiographs in assessment 1055–9

supracondylar fracture of humerus, displaced, treatment in children by pin leverage method 646–50

surgery (orthopaedic)
design and assessment of RCTs 858–63
internervous safe zone for incision of capsule of hip 971–6
measurement of dose of radiation to surgeon during foot/ankle surgery 1060–3
multi-level, for cerebral palsy, mobility assessment after 993–4
NICE influence on 849–50
operative delay for hip fracture 77–9
posterior instrumentation in lumbar tuberculous spondylitis 210–14
role of polymethylmethacrylate bone cement 851–7

single-event multilevel in cerebral palsy, outcome 1088–91
see also individual procedures and conditions
sympathetic nerves, effects on lumbar radicular pain 1666–72
synostosis, tibiofibular, in professional football player 109–11 (case report)
synovectomy, arthroscopic, removal of loose bodies and biceps tenodesis for synovial chondromatosis of shoulder 1329–35
synovial chondromatosis, shoulder, arthroscopic synovectomy, loose body removal and selective biceps tenodesis 1329–35
synovial cyst, of hip, transient femoral nerve palsy associated in spinal cord injury 107–8 (case report)
synovium, primary tumours 1504–8

T

talar lesions, accuracy analysis of Iso-C^{3D} *versus* fluoroscopy-based navigated retrograde drilling 323–6
talipes equinovarus, congenital, management 995–1000
talus, fracture of lateral process, in snowboarders 772–7
tamponade, urinary catheter used, bleeding control from superior gluteal artery 32–3
tendinitis, calcifying, of rotator cuff, high-energy extracorporeal shock-wave therapy 335–41
tendinopathy, long head of biceps and 1001–9
tendo Achillis
early history 545–7
rupture, history 545–7
tendon-bone junction, repaired, callus formation during healing 1539–44
tendons
biomechanical analysis of multistrand repairs with Silfverskiöld peripheral cross-stitch 1396–401
rotator cuff, *in vivo* measurement of tissue metabolism 633–8
tenodesis, selective biceps, in synovial chondromatosis of shoulder 1329–35
tenotomy, iliopsoas impingement after THR 1031–5
thermometric diagnosis, peripheral nerve injuries 933–9
thromboembolism, venous *see* venous thromboembolism, post-operative
thumb, metacarpophalangeal joint dislocation, in children 227–9
tibia
adamantinoma, with late skeletal metastasis 388–9 (case report)
fractures
complicated, acute shortening and re-lengthening in bone/soft-tissue loss management 80–8, 846–7 (correspondence)
distal, RhBMP-7 for healing acceleration 265–72
Gustilo type-IIIA and type-IIIB open, score for predicting salvage and outcome 562–3 (correspondence)
refractory nonunion, treatment using calcium sulphate and bone marrow stromal cell implantation 1382–6 (case report)
intramedullary nailing, placement of proximal oblique locking screws 1495–7
osteofibrous dysplasia 141 (correspondence)
pain, anterior, tibiofibular synostosis in professional football player 109–11 (case report)
proximal, endoprosthetic replacement for bone tumours, long-term results 1632–7
tibial component
determination of rotational alignment at TKR 45–9
moulded monoblock *versus* modular, survival comparison for TKR in rheumatoid arthritis 609–14
tibial tubercle, modified osteotomy for patellar maltracking 180–5
tibiofemoral forces, changes in flexion and extension gaps in TKR 1528–33
tibiofibular synostosis, in professional football player 109–11 (case report)
TNF-α, marker of peri-prosthetic infection after total joint replacement 94–9
Total Condylar prosthesis, total knee replacement, effect on conformity of patellofemoral joint 408–12
tourniquet, effect of padding on efficiency for upper limb 532–4
tranexamic acid, topical fibrin spray *versus*, effect on blood loss after TKR 306–9
transplacental transfer, cobalt and chromium, in patients with metal-on-metal hip arthroplasty 301–5
transplantation, stem cells, debrided waste as source 1110–14
trauma
genetic predisposition to adverse outcome after 1273–9
gradual joint distraction of post-traumatic flexion contracture of proximal interphalangeal joint by mini-external fixator 206–9
joint, viability/apoptosis of chondrocytes in osteochondral fragments 1388–95
musculoskeletal from football in adolescents 5–8
stiffness of elbow after, open arthrolysis 778–81
Trident acetabular system, incomplete seating of liner 291–5
trochanteric fracture of femur, non-invasive interactive neurostimulation in post-operative recovery 1488–94
trochlear groove, aplasis, 'four-in-one' procedure for habitual dislocation of patella 1645–9

tuberculosis
arthritis, of knee, with *Staphylococcus* superinfection 664–6 (case report)
bone and joint, cases from 1988-2005 (Blackburn) 1379–81
lumbar spondylitis, posterior lumbar interbody fusion and posterior instrumentation in surgical management 210–14
of patellar tendon 1525–6 (case report)
sternum 817–20
tumours
precision resection and reconstruction by image-guided computer navigation 943–7
see also individual tumour types and anatomical sites

U

ulna
lesser sigmoid notch, validation as reference point for accurate placement of prosthesis for head of radius 413–16
proximal, influence of lateral and anterior angulation on treatment of Monteggia fracture 836–8
unicameral bone cysts, steroid injection *versus* autologous bone marrow grafting 222–6
upper femoral epiphysis
slipped, radiological evidence of femoroacetabular impingement 1592–6
slip *versus* rotation 1402–6
upper limb
benign solitary schwannoma 382–7
effect of tourniquet padding on tourniquet efficiency 532–4
malignant/aggressive benign tumours, validity of Enneking score for measurement of function 659–63
urinary catheter, tamponade, intraoperative bleeding control from superior gluteal artery 32–3

V

valgus deformity, of hindfoot, arthrodesis for 925–7
varus osteotomy, transtrochanteric curved, for osteonecrosis of femoral head, leg-length discrepancy after 725–9
vastus medialis obliquus, anatomical variations and implications on minimally invasive TKR 1462–5
venous thromboembolism, post-operative
insufficient duration of prophylactic treatment after total hip/knee replacement 799–807, 1409–10 (correspondence)
risk reduced by early mobilisation after knee replacement 316–22
vertebral haemangioma, balloon kyphoplasty as single *versus* adjunct procedure in management of 495–502
vertebral osteomyelitis, single-stage anterior debridement, grafting of defect and posterior instrumentation 1201–5
vibration, bone-graft compaction assisted by in impaction grafting, femur 686–92
vitamin C, effect on fracture healing in elderly Osteogenic Disorder Shionogi rats 402–7

W

website, OrthoChina project 717–20
Weil osteotomy, follow-up 280–1 (correspondence)
WOMAC function scale, short-form, validation for knee osteoarthritis evaluation 50–6
wounds, irrigation in open fractures 580–5
wrist
arthroscopy, visualisation of pisotriquetral joint through standard portals 202–5
carpal deformity in rheumatoid arthritis, 3D quantitative analysis 490–4
fusion in rheumatoid arthritis, surgical techniques 1620–6

- **At least one Review Article in each issue**
- **Frequent Aspects of Current Management papers**
- **Improved International aspect**
- **Increase in the number of international reviewers**
- **Reduction in the time from submission to initial decision**
- **~ 60 additional papers each year**

The British and American Volumes are available individually or as a package (the Combined Volume). The Combined Volume is also available on CD-ROM or DVD-R.

"The JBJS remains the pre-eminent general orthopaedic journal providing a wide coverage of all the orthopaedic specialities and clinically related science. I believe it deserves a place on every Orthopaedic Surgeon's reading list, whether specialist, generalist, or trainee."
Professor David L Hamblen CBE, MB BS, PHD, FRCS, FRCSED, FRCSG.
Emeritus Professor of Orthopaedic Surgery, University of Glasgow.

Trainees
50% discount for residents and trainees.

Why subscribe to the JBJS?

CiteTrack Alerts
A free service providing tailored email based alerts.

Subscribe
Individuals:
Please see the subscription cards inside the Journal.

Institutions:
Subscription rates and order forms are available on the website (www.jbjs.org.uk) or from the Subscriptions Department.
T: +44 (0)20 7782 0010
F: +44 (0)20 7782 0995
E: subs@jbjs.org.uk

Website
- The full-text is online at www.jbjs.org.uk
- The complete archive from 1948 is online
- You can search across both Volumes on the web
- Additional functionality and services
- An improved user experience
- Supplementary material
- Further opinion
- Enhanced correspondence section
- Table of Contents Alerting service
- Translations of the abstracts are available in: Czechoslovakian; French; German; Italian; Polish; Romanian; Russian and Spanish
- Selected abstracts are available in Japanese and Korean
- Courses and meetings to 2010
- Fellowships
- Reading lists

Any questions? Then please email **info@jbjs.org.uk**

European Instructional Course Lectures

This important material is of benefit to both trainees and experienced practitioners alike

The European Instructional Course Lectures series is designed in accordance with the aims of the European Federation of National Associations of Orthopaedics and Traumatology (EFORT).

"...to stimulate the exchange of knowledge and ideas in the field of the prevention, conservative treatment and surgical treatment of disease and injuries of the musculo-skeletal system and to stimulate education and research in these fields..."

P. Gallinaro, Preface to volume 1.

They provide a concise summary of the major advances in orthopaedics and traumatology. The papers reproduced within each volume (complete with radiographs, MRI, line-drawings and tables) have been written by leading exponents in the appropriate field to illustrate important developments. Originally, these volumes were only available to the delegates in attendance at the Congresses. The lectures have been gathered in book form to help trainees (residents) and experienced orthopaedic and trauma surgeons to access quickly and easily the experts' views of contemporary orthopaedics and trauma.

EICL Volume * Contents List - General orthopaedics Complex regional pain syndrome in orthopaedic practice, *Roger Atkins;* Pathogenesis of implant-related infection *K. N. Malizos, L. A. Poultsides, N. T. Roidis* Getting your article published in the *Journal of Bone and Joint Surgery* *James D. Heckman* The reviewing process *James Scott* Morbidity and mortality following major orthopaedic surgery *M. R. Lassen, C. Ryge* Trauma Bone substitutes in the treatment of fracture *S. Larsson* The management of open fractures of the tibial diaphysis *José Cordero-Ampuero* Tumours Unicameral and aneurysmal bone cysts *M. Dutoit* Diagnostic and treatment strategies for bone tumours *J. Keller* Paediatrics Management of limb-length inequality *E. Ippolito, F. Mancini, E. Savarese* Diagnosis, treatment and outcome of septic arthritis in infancy and childhood *M. Cassiano Neves, J. Mesquita Montes* Upper limb Arthroscopic stabilisation for acute and chronic instability of the shoulder *W. J. Willems, P. E. Huysmans* Fractures and nonunions of the clavicle *Jan-Magnus Björkenheim* Kienböck's disease *F. Schuind, S. Eslami, P. Ledoux* Dupuytren's contracture *V. Finsen* Hip Femoroacetabular impingement *M. Tannast, K. A. Siebenrock* Primary total hip arthroplasty in the young and active patient *C. Delaunay, H. Migaud, SFHG Group* Femoral impaction bone grafting in revision total hip replacement *J. Charity, J. Timperley, G. Gie* Knee Computer-assisted knee replacement *P. Merloz* Foot and ankle Congenital anomalies of the foot causing rigid flatfoot deformity in adolescents and adults *M. Napiontek* Percutaneous and minimally invasive surgery of the forefoot *B. Magnan, A. Marangon, L. Bonometto, E. Samaila, P. Bartolozzi* Spine Arthroplasty of the intervertebral disc *Michael Ogon, Jochen Meissner* Surgical treatment of symptomatic pathology of the ageing spine *P. Varga, G. Jakab, A. Bánk, I. Bors*

QTY	TITLE	PRICE
☐	**European Instructional Course Lectures, Vol. 7** £ 25.00 to trainees* (residents)	£ 40.00
☐	European Instructional Course Lectures, Vol. 6 £ 25.00 to trainees (residents)	£ 40.00
☐	European Instructional Course Lectures, Vol. 5 £ 25.00 to trainees (residents)	£ 40.00
☐	European Instructional Course Lectures, Vol. 4	£ 35.00
☐	European Instructional Course Lectures, Vol. 3	£ 35.00
☐	European Instructional Course Lectures, Vol. 2	£ 35.00
☐	European Instructional Course Lectures, Vol. 1	£ 12.00

* Please provide a letter from your head of training confirming your status as a trainee.

TOTAL £

☐ Please keep me informed of the educational products available from the British Editorial Society of Bone and Joint Surgery (BESBJS). (We do not sell names and addresses to third parties and you may remove your name from our mailing list at any time.)

DELIVERY ADDRESS

Title and Full Name _____

Address _____

_____

Post Code _____ Country _____

Email _____

METHOD OF PAYMENT

Please pay by credit card or by cheque payable on a UK bank in pounds sterling.

☐ I enclose my cheque for £_____ payable to **British Editorial Society of Bone and Joint Surgery**

☐ Please debit my credit card account as follows:

☐ Mastercard ☐ Visa ☐ Eurocard ☐ Amex

☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐(☐☐☐☐)

Expiry date / /

Signature _____

Post and packing free. Please allow 28 days for delivery. **Send or fax your order to Subscriptions Department, British Editorial Society of Bone and Joint Surgery, 22 Buckingham St, London WC2N 6ET, UK. Fax: +44 (0) 20 7782 0995 Tel: +44 (0) 20 7782 0861 Email: subs@jbjs.org.uk**

THE JOURNAL OF BONE & JOINT SURGERY

ICLAD6



The JBJS Edition of the OrthoLine DVD

- Aids research by quickly locating relevant papers
- Highlights areas requiring further research
- Faster than searching the whole of *MEDLINE*®
- More convenient than connecting to the internet
- Fits comfortably into your white coat pocket

Knowledge Finder®

The format has been changed to increase the amount of space available for data. There are now 1,158,813 citations taken from the *MEDLINE*® database that are relevant to orthopaedics. The citations are taken from both specialist orthopaedic journals and journals in related fields.

The citations cover the period 1966 to 2006 and where they are available, the abstracts are included on the disc.

With contributions from hundreds of different international publications the JBJS Edition of the *OrthoLine* DVD is an essential tool for all orthopaedic surgeons.

If you already own a copy of the JBJS Edition of the *OrthoLine* CD you can **SAVE £60** on the update.

The disc is compatible with MS Windows 2000/XP and MAC OS 9 and below.

JBJS EDITION OF THE ORTHOLINE DIGITAL VERSATILE DISC ORDER FORM

☐ New copy of the JBJS Edition of the *OrthoLine DVD* £185.00

☐ Update copy of the JBJS Edition of the *OrthoLine DVD* £125.00

☐ Please keep me informed of the educational products available from the JBJS.

METHOD OF PAYMENT

Please pay by credit card or cheque. All cheques must be made payable to the **Journal of Bone and Joint Surgery** in pounds Sterling and drawn on a UK bank account.

I enclose my cheque for £_____ payable to *The Journal of Bone and Joint Surgery.* Please debit my ☐Visa ☐MasterCard ☐Amex *(please tick one)* account with £ _____.00

Credit card number:

☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ (☐☐☐☐)

Expiry date ☐☐/☐☐

Signature_____

(Our VAT No. GB 232423501)

DELIVERY ADDRESS

Name .....

Address .....

.....

.....

Town .....

Postcode ..... Country .....

Email .....

Please complete this form and return it to:
The Subscriptions Manager,
22 Buckingham Street,
London,
WC2N 6ET, UK
or FAX it to the Subscriptions Department
on +44 (0)20 7782 0929

THE JOURNAL OF BONE & JOINT SURGERY (BJS)

We do not sell names and addresses to any third parties. Your details will only be used to keep you informed of products available thourgh the British Editorial Society of Bone and Joint Surgery (BESJBJS).

HSOL07